

RISE™

THE DEFIANT
EXPRESSION
BY JENNAIR

 JENNAIR®

CONTENTS

Professional-Style Ranges	6
Wall Ovens	14
Cooktops and Rangetops	22
Ventilation	32
Column Refrigeration	38
Built-In and Freestanding Refrigeration	42
Undercounter Refrigeration	48
Dishwashers	52
Urban Living	56
The JennAir Ownership Experience	62
Lookbook	64

BOUND BY NOTHING™

It started with a rebel. In 1965, Lou Jenn challenged convention and physics itself to pioneer the idea of downdraft technology. By eliminating the need for an overhead hood, Lou Jenn's invention cleared the way for open concept living, transforming kitchen design forever. His defiance is in our DNA, revolution is our origin story, and this is our altar for progress.

Join the rebellion.

SEIZE THE KITCHEN.

SEIZE THE THRONE.


THE DEFIANT EXPRESSION
BY JENNAIR

RISE™

RISE™ Design Expression features warm mixed metals, and dramatic design features that bridge the worlds of professional and posh. This is strength—inextricable from beauty. Forged in the fires of progress, the RISE™ design expression towers over stagnant, uninspired designs that have inherited undeserved standing.

JennAir® offers seemingly endless creativity and design options, including 34 professional-style range configurations, 14 rangetop configurations, 26 wall oven combinations, over 250 column refrigerator configurations, and a full urban living suite to fit smaller luxe spaces.

HARDCORE CRAFTSMANSHIP



DETAILED PERFECTION

Dual-stacked burners, precision-drilled from solid brass. Asymmetric diamond grips etched in solid steel constructions. This is a new standard of excellence.

MASTERFUL HANDLE

Smooth, textured, touchable. Wrapped in a riveting reverse knurl, these handles were made to be grasped.

DEFIANT BEAUTY



DESIGNED TO RULE

Rise™ features warm mixed metals, and dramatic design features that bridge the worlds of professional and posh. This is strength—inextricable from beauty.

DARING OBSIDIAN INTERIOR

Illuminated by over 650 LEDs, this dark finish erupts with reflective, high-contrast style. Reject the unfeeling, lifeless vessel of harsh steel. Let fine foods emerge like vibrant art, begging to be devoured.

EXCEPTIONAL PERFORMANCE




POTENTIAL UNLEASHED

Seize the kitchen with 360° performance that eclipses every expectation of professional luxury. Master your cooking with precise heat control of dual-stacked gas burners, and steady heat waves around each flat tine of your oven with dual-fan convection. Revel in the trinity of food preservation: three temperature zones, three precision sensors, calibrated every second.

ABSOLUTE TRANQUILITY

True luxury turns heads at a whisper. From 38 dBA dishwashers across our entire line to drawers and racks that glide serenely closed, JennAir is turning the volume down so provocative design is the only thing that speaks.



OUTSMART THE PACK



TRUE CONTROL

Preheat. Check cooking status. Personalize settings. Connect to WiFi for real-time notifications and control your appliance from anywhere. Tap and swipe on both iOS and Android devices.*

* Appliance must be set to remote enable. WiFi & App required. Features subject to change. For details and privacy info, visit jennair.ca/connected.

CULINARY INTELLIGENCE

With step-by-step support, savour the full culinary experience backed by customized algorithms, featuring full-colour food photography, doneness levels, pan types and menu-specific tips. My Creations enables you to curate recipe presets at will. Bake for 30 minutes, broil for 4 and keep dishes warm until you're ready to dine – all without lifting a finger.*

* Professional-style range must be set to remote enable. WiFi & App required. Wall Oven features can be accessed through both the JennAir® App and the oven LCD display. Features subject to change. For details and privacy info, visit jennair.ca/connected.

SERVICE

JENNAIR EPICENTRE – AT YOUR SERVICE

Our crew relentlessly engages with JennAir® appliances day in, day out. Initiated in rigorous product, process and culinary training, this team answers to you – from sales to installation to ownership.

We have also narrowed down our dedicated service network to only the most experienced providers. Armed with extensive access to products and knowledge, their expertise is unmatched.

SMART INTEGRATION COMING SOON



Easy smart appliance commands are here. Control your select JennAir® appliances* no matter what you've got on your hands with simple voice commands using a Google Assistant enabled device, like Google Home.†

Just say "Hey Google" to get started. Oven Commands:

1. Start [oven name] - Note: Will set to bake, 350°F default temperature.
2. Set the [oven name] to [bake, broil, convection bake, convection roast, warm, preheat] - Note: Bake/preheat modes will default to 350°F.
3. Preheat [oven name] to ___ degrees - Note: Use to change to a specific temperature for bake/preheat modes.
4. Turn off [oven name] - Note: Double cavity ovens are treated as separate ovens with separate names.

Oven Status

1. Is the [oven name] on?
2. What's the [oven name] set to?

* JennAir Minerva Wall Ovens, U2 Commercial Ranges.

† Google and Google Home are trademarks of Google LLC. Away signal can take up to two hours. Appliance must be set to remote enable. You will assign the appliance a name during the Google Home setup process. WiFi & App required. Features subject to change. For details and privacy info, visit jennair.ca/connect.


PROFESSIONAL -
STYLE RANGES

PROGRESS IGNITED

Bend fire to your will. Grills, griddles, brass burners.
Dual fuel or gas. Three widths. Four unique oven
combinations. With 34 total configurations, it's up to you.

GRILL

Grilling knows no season. Our founder's legacy is rekindled as we bring
grilling back indoors. Harness 16,000 BTUs of searing, even heat coursing
beneath cast iron grates.



STEAM ASSIST*

Add steam into the mix and lock in texture, flavour and nutrients as it envelops your meal. Insert dishes one, two, three at a time—flavours don't mingle here.

* Water line required.




JENNAIR® CULINARY CENTRE

With step-by-step support, savour the full culinary experience backed by customized algorithms, featuring full-colour food photography, doneness levels, pan types and menu-specific tips.*

* Appliance must be set to remote enable. WiFi & App required. Features subject to change. For details and privacy info, visit jennair.ca/connected

CHROME-INFUSED GRIDDLE

Cast off porous, superficially plated options. Go deeper. Infused with chrome, our griddle cleans up well after heavy usage. Underneath, a serpentine element powers our best griddle preheat. With a 1,320-watt element for even, precise heat, chrome lets you cook fast and prevents heat from lingering too long in your kitchen.



FLAT TINE RACKS

Each rack features dramatic, unexpected flat tines, delivering increased contact with cookware for exceptional heat transfer.




DUAL-STACKED POWER BURNERS

Two stacked, symmetrical flames bloom and retreat at your inclination, offering total control over heat levels. High-heat searing and wok cooking. Low, slow simmer and melt. Infinite intermediate settings satisfy every appetite.



HALO-EFFECT KNOBS

A halo of luminary LEDs glows softly when the burner is lit or the oven is on.



PROFESSIONAL- STYLE GAS RANGES



	48"	48"	48"
MODEL #	JGRP748HL	JGRP648HL	JGRP548HL
COOKING SURFACE FEATURES			
Number of Burners	4	6	6
Dual Stacked Burners	•	•	•
BTUs (Natural Gas):			
Left Front	20,000	20,000	20,000
Left Rear	18,000	18,000	18,000
Centre Front	—	20,000	20,000
Centre Rear	—	9,000	9,000
Right Front	20,000	20,000	20,000
Right Rear	9,000	18,000	18,000
Chrome Infused Griddle (1,320 Watts)	•	—	•
Grill (16,000 BTUs)	•	•	—
Electronic Ignition and Flame-Sensing™ Re-ignition System	•	•	•
OVEN FEATURES			
Primary Oven Capacity (cu. ft.)	4.1	4.1	4.1
Dual-Fan True Convection (Primary Oven Only)	•	•	•
Secondary Oven Capacity (cu. ft.)	2.2	2.2	2.2
Cinematic Lighting	•	•	•
Flat Tine Racks	•	•	•
Three Glide Racks	•	•	•
OVEN CONNECTIVITY			
WiFi Connectivity & App	•	•	•
Remote Access	•	•	•
Culinary Centre	•	•	•
Voice Activation	•	•	•
DESIGN FEATURES			
Cast Iron Grates	•	•	•
Halo-Effect LED Knobs	•	•	•
OPTIONAL ACCESSORIES			
Stainless Steel Backsplash with Two Shelves	W10285449	W10285449	W10285449
Brass Burner Caps, Kit of 4	W11323014	W11323014	W11323014
PRODUCT DIMENSIONS			
Width	47-7/8" (121.6 cm)	47-7/8" (121.6 cm)	47-7/8" (121.6 cm)
Height	37-5/16" (94.8 cm)	37-5/16" (94.8 cm)	37-5/16" (94.8 cm)
Depth	27-11/16" (70.3 cm)	27-11/16" (70.3 cm)	27-11/16" (70.3 cm)



36"

36"

36"

30"

MODEL #	JGRP636HL	JGRP536HL	JGRP436HL	JGRP430HL
COOKING SURFACE FEATURES				
Number of Burners	4	4	6	4
Dual Stacked Burners	•	•	•	•
BTUs (Natural Gas):				
Left Front	20,000	20,000	20,000	20,000
Left Rear	18,000	18,000	18,000	18,000
Centre Front	—	—	20,000	—
Centre Rear	—	—	9,000	—
Right Front	20,000	20,000	20,000	20,000
Right Rear	9,000	9,000	18,000	9,000
Chrome Infused Griddle (1,320 Watts)	—	•	—	—
Grill (16,000 BTUs)	•	—	—	—
Electronic Ignition and Flame-Sensing™ Re-ignition System	•	•	•	•
OVEN FEATURES				
Primary Oven Capacity (cu. ft.)	5.1	5.1	5.1	4.1
Dual-Fan True Convection (Primary Oven Only)	•	•	•	•
Secondary Oven Capacity (cu. ft.)	—	—	—	—
Cinematic Lighting	•	•	•	•
Flat Tine Racks	•	•	•	•
Three Glide Racks	•	•	•	•
OVEN CONNECTIVITY				
WiFi Connectivity & App	•	•	•	•
Remote Access	•	•	•	•
Culinary Centre	•	•	•	•
Voice Activation	•	•	•	•
DESIGN FEATURES				
Cast Iron Crates	•	•	•	•
Halo-Effect LED Knobs	•	•	•	•
OPTIONAL ACCESSORIES				
Stainless Steel Backsplash with Two Shelves	W10285448	W10285448	W10285448	W10285447
Brass Burner Caps, Kit of 4	W11323014	W11323014	W11323014	W11323014
PRODUCT DIMENSIONS				
Width	35-7/8" (91.1 cm)	35-7/8" (91.1 cm)	35-7/8" (91.1 cm)	29-7/8" (75.9 cm)
Height	37-5/16" (94.8 cm)	37-5/16" (94.8 cm)	37-5/16" (94.8 cm)	37-5/16" (94.8 cm)
Depth	27-11/16" (70.3 cm)	27-11/16" (70.3 cm)	27-11/16" (70.3 cm)	27-11/16" (70.3 cm)

PROFESSIONAL- STYLE DUAL-FUEL RANGES



	48"	48"	48"	48"	48"
MODEL #	JDSP548HL	JDRP848HL	JDRP748HL	JDRP648HL	JDRP548HL
COOKING SURFACE FEATURES					
Number of Burners	6	4	4	6	6
Dual Stacked Burners	•	•	•	•	•
BTUs (Natural Gas):					
Left Front	20,000	20,000	20,000	20,000	20,000
Left Rear	18,000	18,000	18,000	18,000	18,000
Centre Front	20,000	—	—	20,000	20,000
Centre Rear	9,000	—	—	9,000	9,000
Right Front	20,000	20,000	20,000	20,000	20,000
Right Rear	18,000	9,000	9,000	18,000	18,000
Chrome Infused Griddle (1,320 Watts)	•	• (x2)	•	—	•
Grill (16,000 BTUs)	—	—	•	•	—
Electronic Ignition and Flame-Sensing™ Re-ignition System	•	•	•	•	•
OVEN FEATURES					
Primary Oven Capacity (cu. ft.)	4.1	4.1	4.1	4.1	4.1
Dual-Fan True Convection (Primary Oven Only)	•	•	•	•	•
Secondary Oven Capacity (cu. ft.)	2.2	2.2	2.2	2.2	2.2
Cinematic Lighting	•	•	•	•	•
Flat Tine Racks	•	•	•	•	•
Three Glide Racks	•	•	•	•	•
Steam Assist†	•	—	—	—	—
OVEN CONNECTIVITY					
WiFi Connectivity & App	•	•	•	•	•
Remote Access	•	•	•	•	•
Culinary Centre	•	•	•	•	•
Voice Activation	•	•	•	•	•
DESIGN FEATURES					
Cast Iron Grates	•	•	•	•	•
Halo-Effect LED Knobs	•	•	•	•	•
OPTIONAL ACCESSORIES					
Stainless Steel Backsplash with Two Shelves	W10285449	W10285449	W10285449	W10285449	W10285449
Stainless Steel 9" Backguard	W10115777	W10115777	W10115777	W10115777	W10115777
Brass Burner Caps, Kit of 4	W11323014	W11323014	W11323014	W11323014	W11323014
PRODUCT DIMENSIONS					
Width	47-7/8" (121.6 cm)	47-7/8" (121.6 cm)	47-7/8" (121.6 cm)	47-7/8" (121.6 cm)	47-7/8" (121.6 cm)
Height	37-5/16" (94.8 cm)	37-5/16" (94.8 cm)	37-5/16" (94.8 cm)	37-5/16" (94.8 cm)	37-5/16" (94.8 cm)
Depth	27-11/16" (70.3 cm)	27-11/16" (70.3 cm)	27-11/16" (70.3 cm)	27-11/16" (70.3 cm)	27-11/16" (70.3 cm)

† Water line required.



	36"	36"	36"	36"	30"
MODEL #	JDSP536HL	JDRP636HL	JDRP536HL	JDRP436HL	JDRP430HL
COOKING SURFACE FEATURES					
Number of Burners	4	4	4	6	4
Dual Stacked Burners	•	•	•	•	•
BTUs (Natural Gas):					
Left Front	20,000	20,000	20,000	20,000	20,000
Left Rear	18,000	18,000	18,000	18,000	18,000
Centre Front	—	—	—	20,000	—
Centre Rear	—	—	—	9,000	—
Right Front	20,000	20,000	20,000	20,000	20,000
Right Rear	9,000	9,000	9,000	18,000	9,000
Chrome Infused Griddle (1,320 Watts)	•	—	•	—	—
Grill (16,000 BTUs)	—	•	—	—	—
Electronic Ignition and Flame-Sensing™ Re-ignition System	•	•	•	•	•
OVEN FEATURES					
Primary Oven Capacity (cu. ft.)	5.1	5.1	5.1	5.1	4.1
Dual-Fan True Convection (Primary Oven Only)	•	•	•	•	•
Cinematic Lighting	•	•	•	•	•
Flat Tine Racks	•	•	•	•	•
Three Glide Racks	•	•	•	•	•
Steam Assist†	•	—	—	—	—
OVEN CONNECTIVITY					
WiFi Connectivity & App	•	•	•	•	•
Remote Access	•	•	•	•	•
Culinary Centre	•	•	•	•	•
Voice Activation	•	•	•	•	•
DESIGN FEATURES					
Cast Iron Grates	•	•	•	•	•
Halo-Effect LED Knobs	•	•	•	•	•
OPTIONAL ACCESSORIES					
Stainless Steel Backsplash with Two Shelves	W10285448	W10285448	W10285448	W10285448	W10285447
Stainless Steel 9" Backguard	W10115776	W10115776	W10115776	W10115776	W10115773
Brass Burner Caps, Kit of 4	W11323014	W11323014	W11323014	W11323014	W11323014
PRODUCT DIMENSIONS					
Width	35-7/8" (91.1 cm)	35-7/8" (91.1 cm)	35-7/8" (91.1 cm)	35-7/8" (91.1 cm)	29-7/8" (75.9 cm)
Height	37-5/16" (94.8 cm)	37-5/16" (94.8 cm)	37-5/16" (94.8 cm)	37-5/16" (94.8 cm)	37-5/16" (94.8 cm)
Depth	27-11/16" (70.3 cm)	27-11/16" (70.3 cm)	27-11/16" (70.3 cm)	27-11/16" (70.3 cm)	27-11/16" (70.3 cm)

† Water line required.

FRONT CONTROL RANGES



	DUAL FUEL		GAS
	30"	30"	30"
MODEL #	JDS1750ML	JDS1450ML	JGS1450ML
COOKING SURFACE FEATURES			
Sealed Burners	4	5	5
High BTUs: Natural Gas	17,000 Dual-Stacked	19,000 Dual-Stacked	19,000 Dual-Stacked
Brass Burners	•	•	•
DuraFinish™ Protection	•	•	•
COOKING SURFACE CONTROL FEATURES			
Glass-Touch Electronic Controls	Surface	Surface	Surface
Electronic Ignition	•	•	•
OVEN FEATURES			
Total Baking Capacity (cu. ft.)	6.4	7.1	5.8
Baking Drawer	—	•	•
Element Wattage (Bake/Broil/Convection)	3,600 / 4,000 / 3,200	3,600 / 4,000 / 3,200	900 convection
Hidden Bake Burner BTUs	—	—	18,000
Dual-Fuel Broil System (BTUs/Watt)	—	—	13,000
Auto Convection Conversion	•	•	•
Sabbath Mode	—	—	•
DOWNDRAFT VENTILATION SYSTEM			
Downdraft Ventilation	•	—	—
Convertible to Duct-Free Ventilation (with optional duct-free kit)	•	—	—
OPTIONAL ACCESSORIES			
Duct-Free Kit (not included)	W10748976	—	—
Replacement HEPA Air Filter	W10800530	—	—
6" Range Backsplash, Stainless	W10655450	W10655450	W10655450
6" Range Backsplash, Black	—	—	—
Range Trim Kit, Stainless	W10675028	W10675028	W10675028
EXTERIOR DESIGN FEATURES			
Soft-Close Door	•	•	•
PRODUCT DIMENSIONS			
Width	29-7/8" (75.9 cm)	29-7/8" (75.9 cm)	29-7/8" (75.9 cm)
Height	36" (91.4 cm)	36" (91.4 cm)	36" (91.4 cm)
Depth	27-13/16" (70.6 cm)	27-13/16" (70.6 cm)	27-13/16" (70.6 cm)

FRONT CONTROL RANGES



	ELECTRIC		INDUCTION
	30"	30"	30"
MODEL #	JES1750ML	JES1450ML	JIS1450ML
COOKING SURFACE FEATURES			
Number of Radiant Elements	4	5	-
Number of Induction Elements	-	-	4
Power Element Output (Watts)	3,200	3,200	3,600
Bridge Element	-	-	•
COOKING SURFACE CONTROL FEATURES			
Glass-Touch Electronic Controls	Surface	Surface	Surface & Oven
OVEN FEATURES			
Total Baking Capacity (cu. ft.)	6.4	7.1	6.4
Baking Drawer	-	•	-
Element Wattage (Bake/Broil/Convection)	3,600 / 4,000 / 3,200	3,600 / 4,000 / 3,200	3,600 / 4,000 / 3,200
Auto Convection Conversion	•	•	•
DOWNDRAFT VENTILATION SYSTEM			
Downdraft Ventilation	•	-	-
Convertible to Duct-Free Ventilation (with optional duct-free kit)	•	-	-
OPTIONAL ACCESSORIES			
Duct-Free Kit (not included)	W10748976	-	-
Replacement HEPA Air Filter	W10800530	-	-
6" Range Backsplash, Stainless	W10655450	W10655450	W10655450
6" Range Backsplash, Black	W10655449	W10655449	-
Range Trim Kit, Stainless	W10675028	W10675028	W10675028
Range Trim Kit, Black	W10675026	W10675026	-
EXTERIOR DESIGN FEATURES			
Soft-Close Door	•	•	•
PRODUCT DIMENSIONS			
Width	29-7/8" (75.9 cm)	29-7/8" (75.9 cm)	29-7/8" (75.9 cm)
Height	36" (91.4 cm)	36" (91.4 cm)	36-3/4" (93.3 cm)
Depth	27-13/16" (70.6 cm)	27-13/16" (70.6 cm)	26-3/16" (66.5 cm)



WALL OVENS

Master the incredible. Beyond a veil of dark glass, the staggering power of V2™ Vertical Dual-Fan Convection caresses every morsel with precise, even heat. With curated recipes and full-colour doneness images, an intelligent culinary experience awaits your touch.

UNTETHERED

7-INCH FULL-COLOUR LCD DISPLAY

Visually vibrant. This highly-interactive, full-colour display is packed with dynamic features that allow you to navigate effortlessly through settings and the JennAir® Culinary Centre.




V2™ VERTICAL DUAL-FAN CONVECTION

Dual counter-rotating vertical fans work in tandem, helping you wield your cooking prowess with everything from mouthwatering fillets to irresistible roasts.



IRRESISTIBLE INTERIOR

Captivation cloaked in black. Beyond a dark glass expanse, cinematic lighting illuminates smooth glide racks, flat tines, and an enticing jet black interior.



JENNAIR® CULINARY CENTRE

With step-by-step support, savour the full culinary experience backed by customized algorithms, featuring full-colour food photography, doneness levels, pan types and menu-specific tips.



WALL OVENS



DOUBLE WALL OVENS

	30"	30"	27"
MODEL #	JJW3830LL	JJW2830LL	JJW2827LL
OVEN FEATURES			
Oven Capacity (each oven, cu. ft.)	5 (.14 cu. m)	5 (.14 cu. m)	4.3 (.12 cu. m)
V2™ Vertical Dual-Fan Convection System	•	—	—
2-Speed MultiMode® Convection System	—	•	•
Broil Element Output (Watts)	4,000	4,000	4,000
Convection Element(s) Output (Watts)	6,800 Total	3,200	3,200
Temperature Probe	•	•	•
Cinematic Lighting	•	•	•
Chef's Light	•	—	—
Flat Tine Racks	•	•	•
Number of Glide Racks	2	1	1
CONTROL FEATURES			
7" (17.8 cm) Full-Colour Touch-Anywhere LCD Display	•	—	—
4.3" (10.9 cm) Full-Colour Menu-Driven LCD Display	—	•	•
Culinary Centre	•	—	—
OVEN CONNECTIVITY			
WiFi Connectivity & App	•	—	—
Remote Access (Culinary Centre, Monitoring, Notifications)	•	—	—
Voice Activation	•	—	—
DESIGN FEATURES			
Flush Installation Included	•	•	•
Smooth Close Door	•	•	•
OPTIONAL ACCESSORIES			
Additional Glide Rack	W11256305	W11256305	W11256306
PRODUCT DIMENSIONS			
Width	30" (76.2 cm)	30" (76.2 cm)	27" (68.6 cm)
Height	52-3/8" (133 cm)	52-3/8" (133 cm)	52-3/8" (133 cm)
Depth	25-5/16" (64.3 cm)	25-5/16" (64.3 cm)	25-5/16" (64.3 cm)



SINGLE WALL OVENS

	30"	30"	27"	24"
MODEL #	JJW3430LL	JJW2430LL	JJW2427LL	JJW2424HL
OVEN FEATURES				
Oven Capacity (each oven, cu. ft.)	5 (.14 cu. m)	5 (.14 cu. m)	4.3 (.12 cu. m)	2.6 (.07 cu. m)
V2™ Vertical Dual-Fan Convection System	•	—	—	—
2-Speed MultiMode® Convection System	—	•	•	—
True Convection	—	—	—	•
Broil Element Output (Watts)	4,000	4,000	4,000	2,670
Convection Element(s) Output (Watts)	6,800 Total	3,200	3,200	2,180
Temperature Probe	•	•	•	•
Cinematic Lighting	•	•	•	•
Chef's Light	•	—	—	—
Flat Tine Racks	•	•	•	—
Number of Glide Racks	2	1	1	1
CONTROL FEATURES				
7" (17.8 cm) Full-Colour Touch-Anywhere LCD Display	•	—	—	—
4.3" (10.9 cm) Full-Colour Menu-Driven LCD Display	—	•	•	—
3.5" (8.9 cm) Full-Colour LCD Display	—	—	—	•
Culinary Centre	•	—	—	—
OVEN CONNECTIVITY				
WiFi Connectivity & App	•	—	—	•
Remote Access (Culinary Centre, Monitoring, Notifications)	•	—	—	•
Voice Activation	•	—	—	•
DESIGN FEATURES				
Flush Installation Included	•	•	•	—
Smooth Close Door	•	•	•	•
OPTIONAL ACCESSORIES				
Additional Glide Rack	W11256305	W11256305	W11256306	—
PRODUCT DIMENSIONS				
Width	30" (76.2 cm)	30" (76.2 cm)	27" (68.6 cm)	23-7/16" (59.5 cm)
Height	29-7/8" (75.9 cm)	29-7/8" (75.9 cm)	29-7/8" (75.9 cm)	23-1/2" (59.7 cm)
Depth	25-5/16" (64.3 cm)	25-5/16" (64.3 cm)	25-5/16" (64.3 cm)	22-7/16" (57 cm)

WALL OVENS



COMBINATION MICROWAVE/WALL OVENS




	30"	27"
MODEL #	JMW2430LL	JMW2427LL
CONVECTION MICROWAVE OVEN FEATURES		
Microwave Capacity (cu. ft.)	1.4 (.04 cu. m)	1.4 (.04 cu. m)
Power Output (Watts)	900	900
Stainless Steel Interior	•	•
Broil Element Output (Watts)	1,600	1,600
Convection Element Output (Watts)	1,200	1,200
Speed Cook	•	•
OVEN FEATURES		
Oven Capacity (cu. ft.)	5.0 (.14 cu. m)	4.3 (.12 cu. m)
2-Speed MultiMode® Convection System	•	•
8-Pass Reflective Broil Element Output (Watts)	4,000	4,000
12-Pass Convection Element(s) Output (Watts)	3,200	3,200
Cinematic Lighting	•	•
Temperature Probe	•	•
Flat Tine Racks	•	•
Number of Glide Racks	1	1
CONTROL FEATURES		
4.3" (10.9 cm) Full Colour Menu-Driven LCD Display	•	•
DESIGN FEATURES		
Flush Installation Included	•	•
Smooth Close Door	•	•
OPTIONAL ACCESSORIES		
Additional Glide Rack	W11256305	W11256306
PRODUCT DIMENSIONS		
Width	30" (76.2 cm)	27" (68.6 cm)
Height	43-3/4" (111.2 cm)	43-3/4" (111.2 cm)
Depth	25-5/16" (64.3 cm)	25-5/16" (64.3 cm)

BUILT-IN MICROWAVES



	MICROWAVE SPEED OVENS			MICROWAVE DRAWERS	
	30"	27"	24"	30"	24"
MODEL #	JMC2430LL	JMC2427LL	JMC6224HL	JMDFS30HL	JMDFS24JL
MICROWAVE OVEN FEATURES					
Oven Capacity (cu. ft.)	1.4 (.04 cu. m)	1.4 (.04 cu. m)	1.4 (.04 cu. m)	1.2 (.03 cu. m)	1.2 (.03 cu. m)
Power Output (Watts):					
Microwave	900	900	900	950	950
Convection Element	1,200	1,200	1,100	—	—
Grill Element	1,600	1,600	1,600	—	—
Power Levels	10	10	7	11	11
Speed Cook	•	•	•	—	—
Convection Cooking	•	•	•	—	—
CONTROL FEATURES					
Full-Colour LCD Display	4.3" (10.9 cm)	4.3" (10.9 cm)	3.5" (8.8 cm)	—	—
Menu-Driven LCD Display	—	—	—	•	•
DESIGN FEATURES					
Flush Installation Included	•	•	•	•	•
Drop-Down Door	•	•	•	—	—
Drawer Design	—	—	—	•	•
Under Counter Installation	•	•	•	•	•
OVEN CONNECTIVITY					
WiFi Connectivity & App	—	—	•	—	—
Remote Access	—	—	•	—	—
Voice Activation	—	—	•	—	—
PRODUCT DIMENSIONS					
Width	29-3/4" (75.6 cm)	26-3/4" (68 cm)	23-7/16" (59.5 cm)	29-15/16" (76 cm)	23-7/8" (60.6 cm)
Height	19-7/8" (50.5 cm)	19-7/8" (50.5 cm)	18-5/16" (46.5 cm)	16" (40.6 cm)	16" (40.6 cm)
Depth	22-11/16" (57.7 cm)	22-5/8" (57.5 cm)	21-7/8" (55.6 cm)	23-9/16" (58.9 cm)	23-11/16" (60.1 cm)

WARMING DRAWERS

			
	30"	27"	24"
MODEL #	JJD3030IL JWD3030EX (PANEL READY†)	JJD3027IL JWD3027EX (PANEL READY†)	JJD3024HL
DRAWER FEATURES			
Drawer Capacity (cu. ft.)	1.5 (.04 cu. m)	1.3 (.04 cu. m)	0.6 (.02 cu. m)
Heating Element Wattage	600	600	400
Temperature Range	32° to 121 °C (90° to 250°F)	32° to 121 °C (90° to 250°F)	32° to 71 °C (90° to 160°F)
Full-Extension Drawer	•	•	•
CONTROL FEATURES			
Slow Roast Function	•	•	•
Bread Proofing Function	•	•	•
Concealed Controls	•	•	•
Humidity Slide Control	•	•	—
Sensor Temperature Control	•	•	—
PRODUCT DIMENSIONS (WITHOUT HANDLE)			
Width	29-3/4" (75.6 cm)	26-3/4" (67.9 cm)	23-7/16" (59.5 cm)
Height	10-1/4" (26.1 cm)	10-1/4" (26.1 cm)	5-9/16" (14.1 cm)
Depth	23-1/8" (58.7 cm)	23-1/8" (58.7 cm)	22-3/8" (56.8 cm)

† Requires custom panels and handles, not included.


STEAM AND CONVECTION WALL OVEN



BUILT-IN
24"

MODEL #	JJW6024HL
OVEN FEATURES	
Oven Capacity (cu. ft.)	1.3 (.04 cu. m)
Water Reservoir	•
Convection Element	1,200 W
Temperature Probe	•
Steam Cleaning Mode	•
Stainless Steel Interior	•
Halogen Oven Light	•
COOKING MODES	
Steam	•
Convection Bake	•
Steam Plus Convection	•
Steam Reheat	•
JennAir® Assisted Cooking (Preset Modes)	•
SPECIALTY COOKING & FOOD PREPARATION MODES	
Proofing	•
Steam Defrost	•
SousVide Reheating	•
Preservation	•
Yogourt	•
CONTROL FEATURES	
3.5-Inch Full-Colour LCD Display	•
OVEN CONNECTIVITY	
WiFi Connectivity & App	•
Remote Access (Monitoring, Notifications)	•
Voice Activation	•
DESIGN FEATURES	
Flush-to-Cabinet Design	•
Trim Kits for 27" (68.6 cm) or 30" (76.2 cm) Installation	Included
PRODUCT DIMENSIONS	
Width	23-7/16" (59.5 cm)
Height	18-5/16" (46.5 cm)
Depth	25-5/16" (64.3 cm)

BUILT-IN ESPRESSO MACHINE



BUILT-IN
24"

MODEL #	JJB6424HL
ESPRESSO MACHINE FEATURES	
Water Tank Capacity	2.4 Litre
Cups at a Time	2
Whole-Bean Coffee Grinder	•
Frothing System with Integrated Milk Container	•
Cappuccino Option	•
Customizable Strength and Size	•
Auto-Start Mode	•
Auto-Off Mode	•
Descaling Mode	•
Temperature Customization	•
Hot Water Dispenser	•
Concealed Storage	•
DESIGN FEATURES	
Flush-To-Cabinet Installation	•
Electrical Requirements	120v
Capacitive Touch Controls	•
3.5-Inch Full-Colour LCD Display	•
PRODUCT DIMENSIONS	
Width	23-1/2" (59.7 cm)
Height	17-15/16" (45.5 cm)
Depth	19-11/16" (50 cm)

Discover countertop cooktops that integrate seamlessly into your kitchen design. JennAir® cooktops come in styles and configurations that fit your look and culinary preferences.

BESPOKE


GAS COOKTOPS

A bold look. Commercial-style details. Powerful burners. Offering precise heat control, ideal for many cooking techniques.



RADIANT COOKTOPS

Indulge your untamed appetite for more with a radiant cooktop that unleashes heat at your command. Experience a surface that ascends to new levels of power and precision. Potent. Palatable. A force to be reckoned with.



INDUCTION COOKTOPS

Combining the precision of gas with the look of electric, induction cooktops are highly responsive as well as energy efficient. Break the confines of traditional elements with dynamic cooking elements. Unfettered by borders, dynamic elements respond to multiple sizes, making the cooktop your place to let loose. Pair with customized cooktops for more flavours to try and more ways to experience a surface that defies the mundane.



GAS RANGETOPS

Sealed brass burners. Precise, dual flames. Unmistakable firepower erupting through cast-iron grates. Turn on the heat without the click-click clamour, and seal and simmer to satisfy your deepest hunger.





MODULAR COOKTOPS

Design your own destiny. Gas. Induction. Wok. Griddle. Downdraft or updraft ventilation. Pair any module with select gas and induction cooktops.



ELECTRIC COOKTOPS




	36"	36"	30"	30"	24"
MODEL #	JEC3536H	JEC4536K	JEC3430H	JEC4430K	JEC4424KB
COOKING SURFACE FEATURES					
Number of Radiant Elements	5	5	4	4	4
Element Size and Wattage:					
Left Front	6" (15.24 cm) - 1,300 W	Dual-Choice™ Element: 10/6" (25.4/15.24 cm) - 3,000/1,900 W	6" (15.24 cm) - 1,300 W	Triple-Choice™ Element: 12/9/6" (30.48/22.86/15.24 cm) - 4,500/3,000/1,500 W	6" (15.24 cm) - 1,200 W
Left Rear	Triple-Choice™ Element: 12/9/6" (30.48/22.86/15.24 cm) - 3,000/2,200/1,100 W	6" (15.24 cm) - 1,200 W	Dual-Choice™ Element: 10/6" (25.4/15.24 cm) - 3,000/1,900 W	6" (15.24 cm) - 1,300 W	8" (20.32 cm) - 1,800 W
Centre Rear	Dual-Choice™ Element: 9/6" (22.86/15.24 cm) - 2,000/1,000 W	Triple-Choice™ Element: 12/9/6" (30.48/22.86/15.24 cm) - 4,500/3,000/1,500 W	—	Dual-Choice™ Element: 10/6" (25.4/15.24 cm) - 3,200/2,300 W	—
Right Front	Dual-Choice™ Element: 10/6" (25.4/15.24 cm) - 3,000/1,900 W	Dual-Choice™ Element: 10/6" (25.4/15.24 cm) - 3,000/1,900 W	Triple-Choice™ Element: 12/9/6" (30.48/22.86/15.24 cm) - 3,000/2,200/1,100 W	—	6" (15.24 cm) - 1,300 W
Right Rear	6" (15.24 cm) - 1,200 W	6" (15.24 cm) - 1,200 W	6" (15.24 cm) - 1,200 W	6" (15.24 cm) - 1,300 W	Dual-Choice™ Element: 10/6" (25.4/15.24 cm) - 3,000/1,900 W
DESIGN FEATURES					
Glass-Touch Electronic Controls	—	•	—	•	•
Halo-Effect LED Knobs	•	—	•	—	—
Oblivion Glass-Ceramic Surface	•	•	•	•	•
Trim Colours Available†	S / B	S / B	S / B	S / B	B
True Flush Installation (Available on black trim model only)	•	•	•	•	•
Can be Paired with Modular Cooktops	• (Stainless Trim Only)	• (Stainless Trim Only)	• (Stainless Trim Only)	• (Stainless Trim Only)	—
PRODUCT DIMENSIONS					
Width	36-5/16" (92.2 cm)	36-5/16" (92.2 cm)	30-13/16" (78.3 cm)	30-13/16" (78.3 cm)	23-13/16" (60.5 cm)
Height	5-1/4" (13.3 cm)	5-1/4" (13.3 cm)	5-1/4" (13.3 cm)	5-1/4" (13.3 cm)	5-1/4" (13.3 cm)
Depth	S: 22-1/8" (56.2 cm) B: 21-3/4" (55.3 cm)	S: 22-1/8" (56.2 cm) B: 21-3/4" (55.3 cm)	S: 22-1/8" (56.2 cm) B: 21-3/4" (55.3 cm)	S: 22-1/8" (56.2 cm) B: 21-3/4" (55.3 cm)	21-3/4" (55.3 cm)

† Image shown has stainless steel trim, with the exception of JEC4424KB, shown with black trim.

COLOURS: S: STAINLESS STEEL B: BLACK

Feature list represents a limited number of the features available for each product. For a full list of features & specifications, please visit www.jennair.ca
Dimensions are for planning purposes only. For complete details, see installation instructions packed with product.


GAS COOKTOPS



36"



36"



30"



30"



24-1/2"

MODEL #	JGC7636B	JGC3536G	JGC7530B	JGC3530G	JGCK424PS
COOKING SURFACE FEATURES					
Number of Burners	6	5	5	5	4
Brass Burners	•	•	•	•	—
BTUs (Natural Gas):					
Left Front / Left Rear	18,000 / 15,000	12,000 / 15,000	18,000 / 12,000	12,000 / 12,000	18,000 (Dual Stacked) / 6,300
Centre Front / Centre Rear	15,000 / 15,000	— / 20,000 (Dual Stacked)	— / 15,000	— / 20,000 (Dual Stacked)	—
Right Front / Right Rear	9,000 / 6,000 (Simmer)	12,000 / 6,000 (Simmer)	9,000 / 6,000 (Simmer)	9,000 / 6,000 (Simmer)	12,000 / 4,000
Electronic Ignition and Flame-Sensing™ Re-Ignition	•	•	•	•	•
DESIGN FEATURES					
White LED Backlit Knob	•	•	•	•	—
Low Profile Design	•	•	•	•	—
Colours Available	S / P	S	S / P	S	S
Can be Paired with Modular Cooktops	—	• (Stainless Trim Only)	—	• (Stainless Trim Only)	—
PRODUCT DIMENSIONS					
Width	36" (91.4 cm)	36" (91.4 cm)	30" (76.2 cm)	30" (76.2 cm)	24-1/2" (62.2 cm)
Height	5-1/4" (13.3 cm)	4-3/16" (10.6 cm)	5-1/4" (13.3 cm)	4-3/16" (10.6 cm)	5-3/16" (13.2 cm)
Depth	21" (53.3 cm)	21" (53.3 cm)	21" (53.3 cm)	21" (53.3 cm)	20-1/16" (51.0 cm)

COLOURS: S: STAINLESS STEEL P: PRO-STYLE®-STAINLESS-KNOB

Feature list represents a limited number of the features available for each product. For a full list of features & specifications, please visit www.jennair.ca
Dimensions are for planning purposes only. For complete details, see installation instructions packed with product.

INDUCTION COOKTOPS










	36"	36"	30"	30"	24"	24"
MODEL #	JIC4736H	JIC4536K	JIC4730H	JIC4530K	JIC4724H	JIC4324KB
COOKING SURFACE FEATURES						
Flex Elements	•	—	•	—	•	—
Element Size and Wattage:						
Left Front	8" (20.3 cm) - 3,700W	8" (20.3 cm) - 1,200W/1,800W Boost	8" (20.3 cm) - 3,700W	6" (15.2 cm) - 1,200W/1,800W Boost	8" (20.3 cm) - 3,700W	6" (15.2 cm) 1200W/1800 W Boost
Left Rear	8" (20.3 cm) - 3,700W	6" (15.2 cm) - 1,200W/1,800W Boost	8" (20.3 cm) - 3,700W	7" (17.8 cm) - 1,800W/2,150W	8" (20.3 cm) - 3,700W	7" (17.8 cm) 1800W/2150 W Boost
Centre Front	8" (20.3 cm) - 3,700W	Dual Zone Element: 12" (30.5 cm)/ 7" (18.0 cm) - 2,100W/4,000W Boost	—	Dual Zone Element: 11" (26 cm)/ 6" (13.5 cm) - 2,100W/4,000W Boost	—	—
Centre Rear	8" (20.3 cm) - 3,700W	—	—	—	—	—
Right Front	8" (20.3 cm) - 3,700W	6" (15.2 cm) - 1,200W/1,800W Boost	8" (20.3 cm) - 3,700W	6" (15.2 cm) - 1,200W/1,800W Boost	8" (20.3 cm) - 3,700W	11" (28 cm) 2100W/4000 W Boost
Right Rear	8" (20.3 cm) - 3,700W	8" (20.3 cm) - 2,100W/3,000W Boost	8" (20.3 cm) - 3,700W	7" (17.8 cm) - 1800W/2150W Boost	8" (20.3 cm) - 3,700W	—
Number of Induction Elements	6 (3 Dynamic Elements)	5	4 (2 Dynamic Elements)	4	4 (2 Dynamic Elements)	3 (1 Dual)
Bridge Function	•	—	•	—	•	—
Auto Sensor Functions (Fry, Boil)	—	•	—	•	—	•
Assisted Cooking Functions (Simmer, Boil, Melt)	—	•	—	•	—	•
DESIGN FEATURES						
Tap Touch Controls	•	•	•	•	•	•
True Flush Installation	•	•	•	•	•	•
Oblivion Glass-Ceramic Surface	•	•	•	•	•	•
Trim Colours Available†	S / B	S / B	S / B	S / B	S / B	B
Can be Paired with Modular Cooktops	• (Stainless Trim Only)	—	• (Stainless Trim Only)	—	• (Stainless Trim Only)	—
PRODUCT DIMENSIONS						
Width	36" (91.4 cm)	36-5/16" (92.2 cm)	30" (76.2 cm)	30-5/16" (77 cm)	24" (61 cm)	25-5/8" (65 cm)
Height	3-11/16" (9.4 cm)	4-1/8" (10.5 cm)	3-11/16" (9.4 cm)	4-1/8" (10.5 cm)	3-11/16" (9.4 cm)	3-23/32" (9.4 cm)
Depth	21" (53.3 cm)	21-5/16" (54.1 cm)	21" (53.3 cm)	21-5/16" (54.1 cm)	21" (53.3 cm)	21-1/4" (54.1 cm)

† Image shown has stainless steel trim.

COLOURS: S: STAINLESS STEEL B: BLACK

Feature list represents a limited number of the features available for each product. For a full list of features & specifications, please visit www.jennair.ca
Dimensions are for planning purposes only. For complete details, see installation instructions packed with product.

RANGETOPS

							
	48"	48"	48"	36"	36"	36"	30"
MODEL #	JGCP748HL	JGCP648HL	JGCP548HL	JGCP636HL	JGCP536HL	JGCP436HL	JGCP430HL
COOKING SURFACE FEATURES							
Number of Burners	4	6	6	4	4	6	4
Dual Stacked Burners	•	•	•	•	•	•	•
BTUs (Natural Gas):							
Left Front	20,000	20,000	20,000	20,000	20,000	20,000	20,000
Left Rear	18,000	18,000	18,000	18,000	18,000	18,000	18,000
Centre Front	—	20,000	20,000	—	—	20,000	—
Centre Rear	—	9,000	9,000	—	—	9,000	—
Right Front	20,000	20,000	20,000	20,000	20,000	20,000	20,000
Right Rear	9,000	18,000	18,000	9,000	9,000	18,000	9,000
Chrome Infused Griddle (1,320 Watts)	•	—	•	—	•	—	—
Grill (16,000 BTUs)	•	•	—	•	—	—	—
Electronic Ignition and Flame-Sensing™ Re-ignition System	•	•	•	•	•	•	•
DESIGN FEATURES							
Cast Iron Grates	•	•	•	•	•	•	•
Halo-Effect LED Knobs	•	•	•	•	•	•	•
OPTIONAL ACCESSORIES							
Stainless Steel Backsplash with Two Shelves	W10285449	W10285449	W10285449	W10285448	W10285448	W10285448	W10285447
Stainless Steel 9" Backguard	W10115777	W10115777	W10115777	W10115776	W10115776	W10115776	W10115773
PRODUCT DIMENSIONS							
Width	47-7/8" (121.6 cm)	47-7/8" (121.6 cm)	47-7/8" (121.6 cm)	35-3/4" (90.8 cm)	35-3/4" (90.8 cm)	35-3/4" (90.8 cm)	29-3/4" (75.6 cm)
Height	9" (22.9 cm)	9" (22.9 cm)	9" (22.9 cm)	9" (22.9 cm)	9" (22.9 cm)	9" (22.9 cm)	9" (22.9 cm)
Depth	27-1/2" (69.9 cm)	27-1/2" (69.9 cm)	27-1/2" (69.9 cm)	27-1/2" (69.9 cm)	27-1/2" (69.9 cm)	27-1/2" (69.9 cm)	27-1/2" (69.9 cm)

INDUCTION & ELECTRIC MODULES



MODEL #	15" JIC4715GS	15" JIE4115GS	15" JEF3115GS
COOKING SURFACE FEATURES			
Number of Elements	2 (1 Dynamic Element)	1	1
Element Size and Wattage:			
Front	8" (20.32 cm) - 3,700 W	3,700 W	1,800 W
Rear	8" (20.32 cm) - 3,700 W		
Induction Dynamic Element	•	—	—
Induction Wok Element	—	•	—
Bridge Function	•	—	—
Chrome Infused Griddle	—	—	•
DESIGN FEATURES			
Tap Touch Controls	•	•	—
White LED Backlit Knob	—	—	•
True Flush Installation	•	•	•
Oblivion Glass-Ceramic Surface	•	•	—
PRODUCT DIMENSIONS			
Width	15" (38.1 cm)	15" (38.1 cm)	15" (38.1 cm)
Height	3-15/32" (8.8 cm)	5-7/8" (14.9 cm)	5-13/32" (13.7 cm)
Depth	21" (53.3 cm)	21" (53.3 cm)	21" (53.3 cm)

GAS MODULES



	15"	15"
MODEL #	JGC3215GS	JGC3115GS
COOKING SURFACE FEATURES		
Number of Burners	2	1
Brass Burners	•	•
BTUs (Natural Gas):		
Front	15,000	20,000
Rear	15,000	
Single Point Electronic Ignition and Flame-Sensing™ Re-Ignition	•	•
Wok Ring	—	•
DESIGN FEATURES		
White LED Backlit Knob	•	•
True Flush Installation	•	•
PRODUCT DIMENSIONS		
Width	15" (38.1 cm)	15" (38.1 cm)
Height	4-5/32" (10.6 cm)	4-5/32" (10.6 cm)
Depth	21" (53.3 cm)	21" (53.3 cm)

DOWNDRAFT VENTILATION



	4"
MODEL #	JVD0303GS
VENTILATION FEATURES	
CFM Rating†	310
Dishwasher-Safe Filter	•
Reversible Blower Motor‡	•
Ambient LED Lighting	•
Convertible to Duct-Free Ventilation ^Δ	•
Number of Fan Speed Settings	2
DESIGN FEATURES	
True Flush Installation	•
Tap Touch Control	•
OPTIONAL ACCESSORIES	
Duct-Free Kit (not included)	W10807915
PRODUCT DIMENSIONS	
Width	3-7/8" (9.8 cm)
Height	29-51/64" (75.7 cm)
Depth	21" (53.3 cm)

† Based on ventilation with correctly installed ducting.


‡ Allows for more installation options.

Δ Duct-free kit not included.

ELECTRIC DOWNDRAFT COOKTOPS



36"



36"



30"



30"

MODEL #	JED3536G	JED4536K	JED3430G	JED4430K
COOKING SURFACE FEATURES				
Number of Radiant Elements	5	5	4	4
Element Size and Wattage:				
Left Front	6" (15.24 cm) - 1,300 W	6" (15.24 cm) - 1,300 W	10" (25.4 cm) - 3,200 W	Dual-Choice™ Element: 10/6" (25.4/15.24 cm) - 3,000W/1,400 W
Left Rear	8" (20.32 cm) - 1,800 W	8" (20.32 cm) - 1,800 W	6" (15.24 cm) - 1,300 W	6" (15.24 cm) - 1,300 W
Centre Front	10" (25.4 cm) - 3,200 W	Dual-Choice™ Element: 10/6" (25.4/15.24 cm) - 3,000/1,400 W	—	—
Centre Rear	6" (15.24 cm) - 1,200 W	6" (15.24 cm) - 1,200 W	—	—
Right Front	—	—	6" (15.24 cm) - 1,200 W	6" (15.24 cm) - 1,200 W
Right Rear	Triple-Choice™ Element: 12/9/6" (30.48/22.9/15.24 cm) - 3,000/1,950/1,050 W	Triple-Choice™ Element: 12/9/6" (30.48/22.9/15.24 cm) - 4,500/3,100/1,550 W	Dual-Choice™ Element: 10/6" (25.4/15.24 cm) - 3,000/1,400 W	Dual-Choice™ Element: 10/6" (25.4/15.24 cm) - 3,000/1,400 W
DOWNDRAFT FEATURES				
JX3™ Downdraft Ventilation System with 3-Speed Fan	•	•	•	•
Convertible to Duct-Free Ventilation ^Δ	•	•	•	•
Perimetric Ventilation	•	•	•	•
Blower Capacity	310 CFM	310 CFM	310 CFM	310 CFM
DESIGN FEATURES				
Glass-Touch Electronic Controls	—	•	—	•
Style Options†	S / B	S / B	S / B	S / B
Metal Knobs	•	—	•	—
OPTIONAL ACCESSORIES				
Duct-Free Kit (not included)	JDA7000WX	JDA7000WX	JDA7000WX	JDA7000WX
PRODUCT DIMENSIONS				
Width	36-5/16" (92.3 cm)	36-5/16" (92.3 cm)	30-7/8" (78.4 cm)	30-7/8" (78.4 cm)
Height	17-59/64" (45.5 cm)	17-59/64" (45.5 cm)	17-29/32" (45.5 cm)	17-29/32" (45.5 cm)
Depth	23" (58.5 cm)	23" (58.5 cm)	23" (58.5 cm)	23" (58.5 cm)

† Image shown has stainless steel trim.

Δ Duct-free kit not included.

COLOURS: S: STAINLESS STEEL B: BLACK

Feature list represents a limited number of the features available for each product. For a full list of features & specifications, please visit www.jennair.ca
Dimensions are for planning purposes only. For complete details, see installation instructions packed with product.

GAS DOWNDRAFT COOKTOPS



36"

30"

MODEL #	JGD3536G	JGD3430G
COOKING SURFACE FEATURES		
Number of Burners	5	4
Brass Burners	•	•
BTUs (Natural Gas):		
Left Front	10,000	17,000
Left Rear	5,000	5,000
Centre Front	15,000	—
Centre Rear	12,500	—
Right Front	—	10,000
Right Rear	17,000	15,000
Clear Coat - DuraFinish™	•	•
Electronic Ignition and Flame-Sensing™ Re-ignition System	•	•
DOWNDRAFT FEATURES		
JX3™ Downdraft Ventilation System with 3-Speed Fan	•	•
Convertible to Duct-Free Ventilation ^Δ	•	•
Blower Capacity	310 CFM	310 CFM
DESIGN FEATURES		
Style Options	S / B	S / B
OPTIONAL ACCESSORIES		
Duct-Free Kit (not included)	JDA7000WX	JDA7000WX
PRODUCT DIMENSIONS		
Width	36" (91.4 cm)	29-59/64" (76 cm)
Height	18-5/16" (46.5 cm)	18-5/16" (46.5 cm)
Depth	21-1/2" (54.6 cm)	21-1/2" (54.6 cm)

Δ Duct-free kit not included.

COLOURS: S: STAINLESS STEEL B: BLACK

Feature list represents a limited number of the features available for each product. For a full list of features & specifications, please visit www.jennair.ca
Dimensions are for planning purposes only. For complete details, see installation instructions packed with product.

Take your pick and inspire envy with commercial, wall mount, island mount, or downdraft ventilation.

Fan
On-Off

Med
Fan

Hi
Fan

Timed
Fan


Quiet
Fan

Light
On-Off

HUSHED TONES,
SPEAK VOLUMES

PROFESSIONAL-STYLE VENTILATION

Style prevails with a brushed stainless steel finish that underscores your affairs.



ISLAND MOUNT VENTILATION

Provides optimal proximity to the cooking surface below, allowing for efficient ventilation.




WALL MOUNT VENTILATION

The hood will blend seamlessly into your kitchen as a swirling vortex captures, scrubs and recirculates the air quietly.



DOWNDRAFT VENTILATION

Minimal design meets ventilation power to accommodate precise cooking needs. Pioneered by Lou Jenn, downdraft technology allows the vent to effortlessly appear at the lightest touch to unleash performance.



UNDER CABINET VENTILATION

Low profile hoods offer a more minimal-looking installation by installing directly underneath the cabinet situated above your cooking surface.



TRADITIONAL STYLE VENTILATION



	WALL-MOUNT				RECIRCULATING WALL-MOUNT		ISLAND MOUNT
	36"	36"	30"	30"	36"	30"	36"
MODEL #	JVW0636LS	JXW8536HS	JVW0630LS	JXW8530HS	JVR0436HS	JVR0430HS	JXI8536HS
VENTILATION FEATURES							
High-Performance Blower CFM Rating†	585	600	585	600	550	550	600
Perimetric Extraction	•	•	•	•	—	—	•
Quiet Operation	• (3 sones)	•	• (3 sones)	•	•	•	•
Dishwasher-Safe Metal Filter	•	•	•	•	•	•	•
LED Task Lighting	• Strip Lighting	•	• Strip Lighting	•	•	•	•
LED Ambient Lighting	•	•	•	•	—	—	•
Auto Sense Option	—	•	—	•	—	•	•
Recirculating Installation Option	•	•	•	•	Included	Included	•
Fan Speed Settings	3	3	3	3	4	4	3
OPTIONAL ACCESSORIES							
Recirculating Installation Kit (Ceiling Height)	W11522798	W11430925	W11522798	W11430925	—	—	W10692909
Chimney Extension Kit	W11522794 (10-1/2' to 12-1/10' or 320 cm to 368.8 cm) W11522796 (8-9/10' to 10-12' or 271.3 cm to 320 cm)	EXTKIT12HS	W11522794 (10-1/2' to 12-1/10' or 320 cm to 368.8 cm) W11522796 (8-9/10' to 10-12' or 271.3 cm to 320 cm)	EXTKIT12HS	—	—	EXTKIT26FS
In-line Smart Blower Kit	Included	W10692945	Included	W10692945	—	—	W10692945
PRODUCT DIMENSIONS							
Width	35-11/25" (90 cm)	36" (91.4 cm)	29-23/25" (76 cm)	30" (76.2 cm)	35-29/32" (91.2 cm)	29-29/32" (76 cm)	36" (91.4 cm)
Height Minimum	47-1/4" (120 cm)	24-5/8" (62.5 cm)	47-1/4" (120 cm)	24-5/8" (62.5 cm)	38-19/32" (98 cm)	38-19/32" (98 cm)	32-1/2" (82.6 cm)
Height Maximum	27-19/20" (71 cm)	38-3/4" (98.4 cm)	27-19/20" (71 cm)	38-3/4" (98.4 cm)	50-13/32" (128 cm)	50-13/32" (128 cm)	52-9/16" (133.5 cm)
Depth	17-1/10" (43.4 cm)	19-11/16" (50 cm)	17-1/10" (43.4 cm)	19-11/16" (50 cm)	18" (45.7 cm)	17-61/64" (45.6 cm)	27" (68.6 cm)

† Based on hoods with correctly installed ducting.

PROFESSIONAL STYLE VENTILATION



	WALL-MOUNT			LOW PROFILE UNDER CABINET	
	48"	36"	30"	36"	30"
MODEL #	JXW9048HP	JXW9036HP	JXW9030HP	JXU9136HP	JXU9130HP
VENTILATION FEATURES					
CFM Rating†	1,200	600	600	600	600
High-Performance Blower(s)	Dual	•	•	•	•
Dishwasher-Safe Stainless Steel Baffle Filters	•	•	•	•	•
Number of Lights (Bulbs Included)	3	2	2	2	2
Lighting Levels	2	2	2	2	2
Halogen Lighting	•	•	•	•	•
Food Warming Lamps (Bulbs Included)‡	2	2	2	—	—
Fan Speed Settings	4	4	4	4	4
OPTIONAL ACCESSORIES					
12" Extension Kits / Duct Cover	EXTKIT06ES	EXTKIT04ES	EXTKIT02ES	EXTKIT04ES	EXTKIT02ES
PRODUCT DIMENSIONS					
Width	48" (122 cm)	36" (91.4 cm)	30" (76.2 cm)	36" (91.4 cm)	30" (76.2 cm)
Height	19-3/8" (49.1 cm)	19-3/8" (49.1 cm)	19-3/8" (49.1 cm)	10-1/2" (26.7 cm)	10-1/2" (26.7 cm)
Depth	25" (63.5 cm)	25" (63.5 cm)	25" (63.5 cm)	23" (58.4 cm)	23" (58.4 cm)

† Based on hoods with correctly installed ducting.

‡ Hood comes with 175-watt PAR-38 infrared bulbs. Hood will also accept 250-watt R40 infrared bulbs.

DOWNDRAFT VENTILATION



	36"	30"	4"
MODEL #	JXD7036YS	JXD7030YS	JVD0303GS
VENTILATION FEATURES			
CFM Rating†	600	600	310
Retractable System	•	•	—
Extension Height	14" (35.6 cm)	14" (35.6 cm)	—
Dishwasher-Safe Filter	•	•	•
Reversible Blower Motor‡	•	•	•
Ambient LED Lighting	—	—	•
True Flush Installation	—	—	•
Convertible to Duct-Free Ventilation ^Δ	—	—	•
CONTROL FEATURES			
Slide Controls	•	•	—
Tap Touch Control	—	—	•
Remote Control	—	—	—
Number of Fan Speed Settings	4	4	2
OPTIONAL ACCESSORIES			
Duct-Free Kit (not included)	—	—	W10807915
PRODUCT DIMENSIONS			
Width	36" (91.4 cm)	30" (76.2 cm)	3-7/8" (9.8 cm)
Height	42-1/8" (107 cm)	42-1/8" (107 cm)	29-51/64" (75.7 cm)
Depth	12-1/8" (30.8 cm)	12-1/8" (30.8 cm)	21" (53.3 cm)

† Based on ventilation with correctly installed ducting.

‡ Allows for more installation options.

Δ Duct-free kit not included.

CUSTOM HOOD LINER



	48"	36"	36"
MODEL #	UVL6048JSS	JXL6536HSS	UVL6036JSS
VENTILATION FEATURES			
Blower Required (Sold Separately)	•	•	•
4 Halogen Lights w/ Night Light Setting	—	•	—
LED Lights	•	—	•
Dishwasher-Safe Mesh Filters	•	—	•
Dishwasher-Safe, Stainless Steel Baffle Filters	—	•	—
Auto On Heat Sensor	•	•	•
10" (25.4 cm) Round Exterior Duct	•	•	•
Thermal Protector	—	•	—
JennAir Logo	—	•	—
CONTROL FEATURES			
Hidden 3-Speed Slide Control	•	—	•
Robust Control Knobs	—	•	—
3-Speed Fan	•	•	•
OPTIONAL ACCESSORIES			
Internal Blower	UXB0585KYS, UXB1170KYS	UXB0585KYS, UXB1170KYS	UXB0585KYS, UXB1170KYS
In-line Blower	UXI1200DYS	UXI1200DYS	UXI1200DYS
42-Inch Spacer Kit	—	W10646268	—
48-Inch Spacer Kit	—	W10646269	—
PRODUCT DIMENSIONS			
Width	47-7/8" (121.6 cm)	35-7/8" (91.1 cm)	35-7/8" (91.1 cm)
Height	11-1/2" (29.2 cm)	11-1/2" (29.2 cm)	11-1/2" (29.2 cm)
Depth	22" (55.9 cm)	22" (55.9 cm)	22" (55.9 cm)

BLOWERS



	INTERNAL [†]		INLINE [‡]
MODEL #	UXB0585KYS	UXB1170KYS	UXI1200DYS
FEATURES			
CFM Rating	585	1,170	1,200
3-Speed Updraft	•	•	•
6" (15.2 cm) Square Duct - Vertical	•	•	—
6" (15.2 cm) Round Duct - Vertical	—	—	•
Galvanized Steel Construction	•	•	•

[†] Installed internally to the unit for Downdraft, Hood Liner and Commercial Style Hoods.

[‡] Installed externally from the hood but inside the house, under the floor or under the roof, this represents an ideal solution for noise reduction.

BREAK THE PLASTIC MOLD

Open your eyes to a column that redefines refrigeration. Daring Obsidian interior, triple-sensor climate, and smart home integration—our most provocative column refrigeration. Satisfy cravings in the quiet cool, which is controlled by precise calibration from three sensors. Revel in the daring Obsidian interior illuminated by light that comes alive as you touch the controls. Go ahead—intoxicate your senses. Open wide.

DARING OBSIDIAN INTERIOR

Inspired by volcanic glass, this dark finish erupts with reflective, high-contrast style. Stop the whitewashing. Let fine foods emerge like vibrant art, begging to be devoured.



ADAPTABLE INSTALLATION

New construction. Replacing built-ins. Upgrading from subpar models. Our columns smoothly adapt to installation site situations, thanks to multiple utility areas.

EMOTIVE CONTROLS

Dominate your domain. This waist-level panel challenges the idea that controls should be out of reach. Customize every zone to your desires.



SOLID GLASS AND METAL

All-metal bins and shelf frames. Thick, naturally odour-resistant solid glass. A forcefield at the edge that prevents spillovers. To hell with cheap plastic in luxury designs.



ECLIPTIC LIGHTING

Live beyond the shadow, live beyond puck lighting. Over 650 LEDs frame and fill your column, coming alive at a touch of the controls. Each item illuminates in dramatic glory.



HUSHED ACOUSTICS

Unheard of. We're decibel for decibel one of the quietest leading luxury built-in columns out there. Casting off abrupt start and stop cycles, our columns ditch swings in temperature and humidity, running unobtrusively in the background. Brilliance doesn't have to announce itself; it just is.



DIVINITY FREEZING

One provocative air tower. Two precision sensors. Calibrated every second. Keep freezer temperatures from swinging and spirits impeccably chilled.

TRINITY COOLING

Revel in the trinity of food preservation: three zones, three precision sensors, calibrated every second. Fortified by an exposed air tower, you can conquer humidity levels and customize the temperatures of each zone to your deepest desires.

COLUMN REFRIGERATORS & FREEZERS



	REFRIGERATORS			FREEZERS		
	36"	30"	24"	30"	24"	18"
MODEL # (BASE UNIT [†])	JBRFR36IGX (RIGHT SWING) JBRFL36IGX (LEFT SWING)	JBRFR30IGX (RIGHT SWING) JBRFL30IGX (LEFT SWING)	JBRFR24IGX (RIGHT SWING) JBRFL24IGX (LEFT SWING)	JBZFR30IGX (RIGHT SWING) JBZFL30IGX (LEFT SWING)	JBZFR24IGX (RIGHT SWING) JBZFL24IGX (LEFT SWING)	JBZFR18IGX (RIGHT SWING) JBZFL18IGX (LEFT SWING)
SPECIFICATIONS						
Total Volume (cu. ft. AHAM)	20 (.57 cu. m)	17 (.48 cu. m)	13 (.37 cu. m)	17 (.48 cu. m)	13 (.37 cu. m)	8 (.23 cu. m)
PERFORMANCE FEATURES						
Trinity Cooling	•	•	•	—	—	—
Divinity Freezing	—	—	—	•	•	•
STAR-K Certified	•	•	•	•	•	•
ENERGY STAR® Certified	•	•	•	•	•	•
CONTROL FEATURES						
Light-Guided Electronic Emotive Controls	•	•	•	•	•	•
Max Cool Option	•	•	•	—	—	—
Max Ice Option	—	—	—	•	•	•
INTERIOR FEATURES						
Advanced Climate Control Drawers	•	•	•	•	•	•
Smooth Close Drawers	•	•	•	•	•	•
Ecliptic LED Theatre Lighting	•	•	•	•	•	•
FreshFlow™ Air Filter	•	•	•	•	•	•
Automatic Ice Maker	—	—	—	•	•	•
Internal Water Dispenser	•	•	•	—	—	—
DESIGN FEATURES						
Obsidian Interior Including Hinges	•	•	•	•	•	•
Fully Integrated with Articulated Hinge	•	•	•	•	•	•
Solid Metal Bins and Shelf Frames	•	•	•	•	•	•
COLUMN CONNECTIVITY						
WiFi Connectivity & App	•	•	•	•	•	•
Remote Access (Monitoring, Notifications)	•	•	•	•	•	•
OPTIONAL ACCESSORIES						
Suite-Coordinating Panel Kits (add to Base Unit)	JKCPR361GL (Right Swing) JKCPL361GL (Left Swing)	JKCPR301GL (Right Swing) JKCPL301GL (Left Swing)	JKCPR241GL (Right Swing) JKCPL241GL (Left Swing)	JKCPR301GL (Right Swing) JKCPL301GL (Left Swing)	JKCPR241GL (Right Swing) JKCPL241GL (Left Swing)	JKCPR181GL (Right Swing) JKCPL181GL (Left Swing)
Handle Kit (includes all handles and hardware, for use with Custom Panel application)	W11220303	W11220303	W11220303	W11220303	W11220303	W11220303
Single Black Toe Kick (included in Stainless Steel Panel Kit)	W11368710	W11368709	W11368708	W11368709	W11368708	W11368707
Single Stainless Steel Toe Kick	JAC36HS	JAC30HS	JAC24HS	JAC30HS	JAC24HS	JAC18HS
PRODUCT DIMENSIONS						
Width	35-7/8" (91.1 cm)	29-7/8" (75.9 cm)	23-7/8" (60.6 cm)	29-7/8" (75.9 cm)	23-7/8" (60.6 cm)	17-7/8" (45.4 cm)
Height	83-19/64" (211.6 cm)	83-19/64" (211.6 cm)	83-19/64" (211.6 cm)	83-19/64" (211.6 cm)	83-19/64" (211.6 cm)	83-19/64" (211.6 cm)
Depth	24-1/2" (62.23 cm)	24-1/2" (62.23 cm)	24-1/2" (62.23 cm)	24-1/2" (62.23 cm)	24-1/2" (62.23 cm)	24-1/2" (62.23 cm)

† Base unit is panel ready. Stainless steel panels are sold separately.

COLUMN REFRIGERATOR & FREEZER ACCESSORIES

COLUMN TOE KICKS			
MODEL #	TYPE	COLOUR	SIZE
JAC18HS	Single Unit Toe Kick	Stainless	18"
JAC24HS	Single Unit Toe Kick	Stainless	24"
JAC30HS	Single Unit Toe Kick	Stainless	30"
JAC36HS	Single Unit Toe Kick	Stainless	36"
JARC1818HB	Dual Unit Toe Kick	Black	18" x 18"
JAC1824HB	Dual Unit Toe Kick	Black	18" x 24"
JAC2418HB	Dual Unit Toe Kick	Black	24" x 18"
JAC1830HB	Dual Unit Toe Kick	Black	18" x 30"
JAC3018HB	Dual Unit Toe Kick	Black	30" x 18"
JAC1836HB	Dual Unit Toe Kick	Black	18" x 36"
JAC3618HB	Dual Unit Toe Kick	Black	36" x 18"
JAC2424HB	Dual Unit Toe Kick	Black	24" x 24"
JAC2430HB	Dual Unit Toe Kick	Black	24" x 30"
JAC3024HB	Dual Unit Toe Kick	Black	30" x 24"
JAC2436HB	Dual Unit Toe Kick	Black	24" x 36"
JAC3624HB	Dual Unit Toe Kick	Black	36" x 24"
JAC3030HB	Dual Unit Toe Kick	Black	30" x 30"
JAC3036HB	Dual Unit Toe Kick	Black	30" x 36"
JAC3630HB	Dual Unit Toe Kick	Black	36" x 30"
JAC3636HB	Dual Unit Toe Kick	Black	36" x 36"
JARC1818HS	Dual Unit Toe Kick	Stainless	18" x 18"
JAC1824HS	Dual Unit Toe Kick	Stainless	18" x 24"
JAC2418HS	Dual Unit Toe Kick	Stainless	24" x 18"
JAC1830HS	Dual Unit Toe Kick	Stainless	18" x 30"
JAC3018HS	Dual Unit Toe Kick	Stainless	30" x 18"
JAC1836HS	Dual Unit Toe Kick	Stainless	18" x 36"
JAC3618HS	Dual Unit Toe Kick	Stainless	36" x 18"
JAC2424HS	Dual Unit Toe Kick	Stainless	24" x 24"
JAC2430HS	Dual Unit Toe Kick	Stainless	24" x 30"
JAC3024HS	Dual Unit Toe Kick	Stainless	30" x 24"
JAC2436HS	Dual Unit Toe Kick	Stainless	24" x 36"
JAC3624HS	Dual Unit Toe Kick	Stainless	36" x 24"
JAC3030HS	Dual Unit Toe Kick	Stainless	30" x 30"
JAC3036HS	Dual Unit Toe Kick	Stainless	30" x 36"
JAC3630HS	Dual Unit Toe Kick	Stainless	36" x 30"
JAC3636HS	Dual Unit Toe Kick	Stainless	36" x 36"

JOINING KITS		
JAJ11JSS	JAJ12HSS	JAJ13HSS
Handle to Hinge	Hinge to Handle	Handle to Handle

BUILT-IN AND
FREESTANDING
REFRIGERATION

OPEN
YOUR
EYES

Discover the seamless built-in refrigeration with optional custom panels that blend into cabinetry, designed to keep ingredients superbly fresh.

TWINFRESH™ CLIMATE CONTROL SYSTEM

This system creates two distinct environments, ideal for both fresh and frozen foods' different preservation needs. It creates cool, humid air in the refrigerator and produces dry, frigid air in the freezer.



DARING OBSIDIAN INTERIOR

Inspired by volcanic glass, this dark finish erupts with reflective, high-contrast style. Stop the whitewashing. Let fine foods emerge like vibrant art, begging to be devoured.



FULLY FLUSH, FULLY INTEGRATED DESIGN

This integrated built-in refrigerator fits beautifully into any decor, blending into custom cabinetry with a truly seamless appearance, reflecting your appreciation for the fine details of design. Must be installed in a 25" deep cabinet to achieve the fully flush look.



FULL HEIGHT PANEL

Clean lines. Elongated silhouettes. No need for a separate panel to conceal the air grille—just sleek styling that melts into its surroundings.



MULTI-POINT LED THEATRE LIGHTING

Multiple LED lights increases visibility and beautifully showcases food items against the Obsidian interior, on both Elegance Shelving and inside refrigerator and freezer drawers.



LIGHT-GUIDED CAPACITIVE TOUCH CONTROLS

With the slightest touch, intuitive, light-guided controls easily direct through menu settings by using highlighted portions of the control panel.



BUILT-IN REFRIGERATORS WITH OBSIDIAN INTERIOR



	FRENCH-DOOR		BOTTOM FREEZER
	42"	36"	36"
MODEL #	JF42NXFXDE	JF36NXFXDE	JB36NXFXRE (RIGHT SWING) JB36NXFXLE (LEFT SWING)
SPECIFICATIONS			
Total Volume (cu. ft. AHAM)	22.6 (.64 cu. m)	20.8 (.59 cu. m.)	20.4 (.58 cu. m)
PERFORMANCE FEATURES			
TwinFresh™ Climate Control System with Variable-Speed Compressor	—	—	•
Integrated Cubed/Crushed Ice and Water Dispenser	—	•	—
STAR-K Certified	•	•	•
ENERGY STAR® Qualified†	—	•	•
CONTROL FEATURES			
Light-Guided Capacitive Touch Controls	•	•	•
Max Cool	•	•	•
Water Filter Status and Reset Filter	•	•	•
REFRIGERATOR FEATURES			
Precision Temperature Management™ System	•	•	—
Advanced Climate Control Drawer	•	•	—
Soft-Close Crisper Drawers	•	•	•
Multi-Point LED Theatre Lighting	•	•	•
FreshFlow™ Air Filter	•	•	•
FREEZER FEATURES			
Automatic Ice Maker with Storage Bin	•	—	•
DESIGN FEATURES			
Obsidian Interior	•	•	•
Fully Integrated with Articulated Hinge	•	—	•
Panel Ready‡	•	—	•
OPTIONAL ACCESSORIES			
Suite-Coordinating Panel Kits (add to Base Unit)	JBFFS42NHL	JBFFS36NHL	JBFFR36NHL (Right Swing) JBFFL36NHL (Left Swing)
Handle Kit (includes all handles and hardware)	W11296021	W11231247	W11231245
PRODUCT DIMENSIONS			
Width	41-3/4" (106 cm)	35-3/4" (90.8cm)	35-3/4" (90.8 cm)
Height	82-7/8" (208.3cm)	82-7/8" (208.3cm)	82-7/8" (210.5 cm)
Depth ^Δ	24-3/4" (62.9cm)	24-3/4" (62.9cm)	24-3/4" (62.9cm)

† ENERGY STAR® Qualified. Per ENERGY STAR® Specifications.

‡ Base unit is panel ready. Stainless steel panels are sold separately.

Δ Depth dimensions do not include handles and assumes 3/4" (1.9 cm) custom panel for panel ready models.

BUILT-IN REFRIGERATORS WITH OBSIDIAN INTERIOR



SIDE-BY-SIDE				
	48"	48"	42"	42"
MODEL #	JBSFS48NMX	JBSS48E22L	JBSFS42NMX	JBSS42E22L
SPECIFICATIONS				
Total Volume (cu. ft. AHAM)	29.4 (.83 cu. m)	29.4 (.83 cu. m)	25.5 (.72 cu. m)	25.3 (.72 cu. m)
PERFORMANCE FEATURES				
Integrated Cubed/Crushed Ice and Water Dispenser	—	•	—	•
STAR-K Certified	•	•	•	•
ENERGY STAR® Qualified†	—	•	•	•
CONTROL FEATURES				
Capacitive Touch Controls with LED Display	•	•	•	•
Max Cool	•	•	•	•
Water Filter Status and Reset Filter	•	•	•	•
REFRIGERATOR FEATURES				
Precision Temperature Management™ System	•	•	•	•
Climate Controlled Crisper Drawer	•	•	•	•
Soft-Close Crisper Drawers	•	•	•	•
Multi-Point Cinematic Lighting	•	•	•	•
FreshFlow™ Air Filter	•	•	•	•
FREEZER FEATURES				
Automatic Ice Maker with Storage Bin	•	—	•	—
DESIGN FEATURES				
Obsidian Interior	•	•	•	•
Fully Integrated with Articulated Hinge	•	—	•	—
Panel Ready‡	•	—	•	—
OPTIONAL ACCESSORIES				
Suite-Coordinating Panel Kits (add to Base Unit)	JBSFS48NHL	—	JBSFS42NHL	—
Handle Kit (includes all handles and hardware)	W11231243	—	W11231243	—
PRODUCT DIMENSIONS				
Width	47-3/4" (121.3cm)	48-1/2" (123.2 cm)	41-3/4" (106.0cm)	42-1/2" (108.0 cm)
Height	83-1/8" (211.1cm)	83-3/8" (211.8cm)	83-1/8" (211.1cm)	83-3/8" (211.8cm)
Depth ^Δ	24-3/4" (62.9cm)	25-1/8" (63.8 cm)	24-3/4" (62.9cm)	25-1/8" (63.8 cm)

† ENERGY STAR® Qualified. Per ENERGY STAR® Specifications.

‡ Base unit is panel ready. Stainless steel panels are sold separately.

Δ Depth dimensions do not include handles and assumes 3/4" (1.9 cm) custom panel for panel ready models.

FREESTANDING REFRIGERATOR




FRENCH-DOOR

	36"	36"
MODEL #	JFFCC72EHL	JFFCF72DKL
SPECIFICATIONS		
Total Volume (cu. ft. AHAM)	23.6 (.67 cu. m)	21.8 (.61 cu. m)
PERFORMANCE FEATURES		
TriSensor™ Electronic Climate Control	—	•
Twin Fresh™ Climate Control System with Dual Evaporator	•	—
Electronic Controls with LED Display	•	•
Integrated Cabinet LED Strip Lighting with Drawer Lights	•	—
Max Cold	•	•
REFRIGERATOR FEATURES		
Internal Water Dispenser	—	•
Exterior Crushed / Cubed Ice and Water	•	—
Humidiseal™ Adjustable Humidity-Controlled Crisper Drawers	•	—
Temperature-Controlled Gourmet Bay™ Drawer with Self-Opening Lid	•	•
Soft-Close Refrigerator Drawers	•	—
Herb Tender™	•	—
Adjustable Glass Shelves with Spill Shield Technology	•	•
Adjustable Storage Rack	•	•
Produce Preserver	•	•
FREEZER FEATURES		
Automatic Ice Maker	•	•
Glide-Out Freezer Drawers	•	•
Pizza Pocket	•	•
Soft Close Freezer Drawers	•	•
Pure Freeze™ Automatic Defrost	•	—
DESIGN FEATURES		
Obsidian Interior	•	—
Elegance Shelving & Metal Bins	•	•
72" (182.9 cm) Cabinet Depth Design	•	•
CONNECTIVITY		
WiFi Connectivity & App	•	—
Remote Access (Monitoring, Notifications)	•	—
PRODUCT DIMENSIONS (WITHOUT HANDLES)		
Width	35-3/4" (90.8 cm)	35-5/8" (90.5 cm)
Height	71-15/16" (182.7 cm)	71-7/8" (182.6 cm)
Depth	29-5/16" (74.4 cm)	27-5/8" (70.2 cm)

A dark, modern interior space, possibly a hallway or a room, featuring several illuminated shelves. The shelves are made of a dark material and are lit from below, creating a strong contrast with the dark background. A small, rectangular screen is mounted on the wall above the top shelf, displaying a white geometric logo on a dark, patterned background. The overall atmosphere is sophisticated and minimalist.

UNAPOLOGETIC SOPHISTICATION

UNDERCOUNTER
REFRIGERATION



Make room for guilty pleasures. Let temptation flow.
You say when the party ends. Undercounter options bring
inspiration to life, creating a natural fit—no matter the size.

ENTERTAINING
REDEFINED



UNDERCOUNTER REFRIGERATOR & BEVERAGE CENTRE

Every delicious morsel is tucked behind a thermal glass door, nearly floating on solid glass and awash in soft LED light. Let refreshments—liquid or otherwise—wait in chilled bliss.



DARING OBSIDIAN INTERIOR

Inspired by volcanic glass, this dark finish erupts with reflective, high-contrast style. Let the object of your desire emerge like vibrant art, begging to be consumed.



INDEPENDENT TEMPERATURE ZONES

Compose ideal climates for choice beverages, wines or tempting bites. Two temperature zones and multiple curated presets await your command, whether you have a wine cellar, beverage centre, or refrigerator.

WINE CELLAR

Let temptation flow. Behind a dark thermal glass door, marquee lighting exposes every label of your private reserve. Up to 45 carefully cradled, precisely chilled bottles wait for the moment you give in. Twist. Pour. Drink deep.



ARTICULATING HINGE ICE MACHINE


Sip away. A supply of crystalline ice melts slowly for undiluted joy. With the unbroken silhouette of stealth flush design and a system that skims minerals away, you're free to focus on entertaining.



STEALTH FLUSH DESIGN

Create an unbroken silhouette. Discreet 1/8" reveals envelop every side, without exposed hinges or trim pieces.

UNDERCOUNTER REFRIGERATION



	WINE CELLAR	BEVERAGE CENTRE	REFRIGERATORS	
MODEL #	JUWFR242HL (RIGHT SWING) JUWFL242HL (LEFT SWING)	JUBFR242HL (RIGHT SWING) JUBFL242HL (LEFT SWING)	JURFR242HL (RIGHT SWING) JURFL242HL (LEFT SWING)	JUGFR242HL (RIGHT SWING) JUGFL242HL (LEFT SWING)
	JUWFR242HX (PANEL READY† RIGHT SWING) JUWFL242HX (PANEL READY† LEFT SWING)	JUBFR242HX (PANEL READY† RIGHT SWING) JUBFL242HX (PANEL READY† LEFT SWING)	JURFR242HX (PANEL READY† RIGHT SWING) JURFL242HX (PANEL READY† LEFT SWING)	JUGFR242HX (PANEL READY† RIGHT SWING) JUGFL242HX (PANEL READY† LEFT SWING)
REFRIGERATION FEATURES				
Total Volume (cu. ft. AHAM)	4.7 (.133 cu. m)	4.7 (.133 cu. m)	4.9 (.139 cu. m)	4.9 (.139 cu. m)
Automatic Defrost	•	•	•	•
Independent Temperature Zones	2	2	1	1
Temperature Range - Zone 1	WINE 6° to 12°C (42° to 54°F)	REFRIGERATOR 0.5° to 4°C (33° to 40°F)	REFRIGERATOR 0° to 6°C (32° to 42°F)	REFRIGERATOR 0° to 6°C (32° to 42°F)
Temperature Range - Zone 2	WINE 6° to 12°C (42° to 54°F)	WINE 6° to 12°C (42° to 54°F)	—	—
Bottles Capacity	24 in Zone 1 / 21 in Zone 2	14 in Zone 2	—	—
Automatic LED Interior Light	•	•	•	•
Glass Shelves	—	2 (1 Adjustable)	3 (2 Adjustable)	3 (2 Adjustable)
Door Bins	—	—	2	2
UltraGlide Soft-Close Racks with Flat Beechwood Tines	6	2	—	—
Temperature Presets	8	6	4	4
ENERGY STAR® Certified	—	•	•	•
Max Cool	—	•	•	•
Star-K Certified	•	•	•	•
CONTROL FEATURES				
Light-Guided Electronic Emotive Controls	•	•	•	•
DESIGN FEATURES				
Obsidian Interior	•	•	•	•
Fully Flush, Built-In Design	•	•	•	•
Soft Close Door	•	•	•	•
Soft Close Drawer Glides	•	•	—	—
UV-Resistant Thermal Glass Door	•	•	—	•
OPTIONAL ACCESSORIES				
Handle Kit (includes all handles and hardware, for use with Custom Panel application)	W11231237	W11231237	W11231237	W11231237
PRODUCT DIMENSIONS				
Width	23-7/8" (60.6 cm)	23-7/8" (60.6 cm)	23-7/8" (60.6 cm)	23-7/8" (60.6 cm)
Height	34-1/8" (86.8 cm)	34-1/8" (86.8 cm)	34-1/8" (86.8 cm)	34-1/8" (86.8 cm)
Depth	23-13/16" (60.4 cm)	23-13/16" (60.4 cm)	23-13/16" (60.4 cm)	23-13/16" (60.4 cm)
Depth (Panel Ready)*	23-7/8" (60.6 cm)	23-7/8" (60.6 cm)	23-7/8" (60.6 cm)	23-7/8" (60.6 cm)

† Requires custom panels and handles, not included.

* Depth dimensions do not include handles and assumes 3/4" (1.9 cm) custom panel for panel ready models.

DRAWER REFRIGERATION



	REFRIGERATOR/FREEZER	DOUBLE-REFRIGERATOR
MODEL #	JUCFP242HL JUCFP242HX (PANEL READY†)	JUDFP242HL JUDFP242HX (PANEL READY†)
REFRIGERATION FEATURES		
Top Drawer Volume (cu. ft.)	2.5 (.07 cu. m)	2.5 (.07 cu. m)
Bottom Drawer Volume (cu. ft.)	2.2 (.06 cu. m)	2.5 (.07 cu. m)
Temperature Range - Upper Drawer	0° to 6°C (32° to 42°F)	0° to 6°C (32° to 42°F)
Temperature Range - Lower Drawer	-22° to -14°C (-8° to 6°F)	0° to 6°C (32° to 42°F)
Temperature Presets	8	8
Automatic Ice Maker	•	—
Automatic Interior LED Lighting	•	•
Fully Extendable Soft-Close Drawers	•	•
Light-Guided Electronic Controls	•	•
STAR-K Certified	•	•
DESIGN FEATURES		
Obsidian Interior	•	•
Removable Base-Grille Water Filter	•	—
Fully Flush, Built-In Design	•	•
OPTIONAL ACCESSORIES		
Handle Kit (includes one handle‡ and hardware, for use with Custom Panel application)	W11231241	W11231241
PRODUCT DIMENSIONS		
Width	23-7/8" (60.6 cm)	23-7/8" (60.6 cm)
Height	34-1/8" (86.8 cm)	34-1/8" (86.8 cm)
Depth	23-7/8" (60.6 cm)	23-7/8" (60.6 cm)
Depth (Panel Ready)*	23-1/8" (58.8 cm)	23-1/8" (58.8 cm)

† Requires custom panels and handles, not included.

‡ Must order two handle kits, for the two door models.

* Depth dimensions do not include handles and assumes 3/4" (1.9 cm) custom panel.


ICE MAKERS



	ICE MAKERS	
MODEL # (BASE UNIT†)	JUIFX15HX	JUIFN15HX
ICE MACHINE FEATURES		
Storage Capacity (lb)	25 (11.3 kg)	25 (11.3 kg)
Clear Ice	•	•
LED Lighted Bin	•	•
Capacitive Touch Control	•	•
Water Filter	•	•
Water Pump Included	•	—
CONTROL FEATURES		
Concealed Capacitive Touch Controls	•	•
DESIGN FEATURES		
Fully Flush, Built-In Design	•	•
Soft Close Door	•	•
OPTIONAL ACCESSORIES		
Suite-Coordinating Panel Kits (add to Base Unit)	JKRPR151HL (Right Swing) JKRPL151HL (Left Swing)	JKRPR151HL (Right Swing) JKRPL151HL (Left Swing)
Handle Kit (includes all handle and hardware, for use with Custom Panel application)	W11231235	W11231235
PRODUCT DIMENSIONS		
Width	14-7/8" (37.9 cm)	14-7/8" (37.9 cm)
Height	33-13/16" (85.9 cm)	33-13/16" (85.9 cm)
Depth	24" (61 cm)	24" (61 cm)

† Base unit is panel ready. Stainless steel panels are sold separately.

DISHWASHERS




DON'T
MISTAKE
SILENCE FOR
WEAKNESS

Inside, a storm rages, as relentless power and technology bring every dish and glass to a state of supreme clean. Outside, tranquility, with sleek lines wrapped in high design. Experiential ease. Tech connected. This is the quietest luxury dishwasher brand – period.


REMOVABLE THIRD-LEVEL RACK

This removable, adjustable top-most third rack holds unwieldy spatulas, whisks and ladles, or can be used for overflow silverware.



ULTRAGLIDE LOWER RACK

The strong and stable type. This adjustable lower rack glides smoothly on high-end rails.



38 dBA* TRANQUILITY

Listen to the hush. At 38 dBA*, JennAir® is the quietest luxury dishwasher brand, all without sacrificing performance.

* Per I.E.C. standards.



TRIFECTA™ WASH SYSTEM

No need to choose between brilliant cleaning, water/energy reduction or quiet operation because our dishwashers deliver all three. Three-stage filtration, pressurized wash arms and alternating wash action in two zones yield superlative results.



DISHWASHERS



	RISE™		PANEL READY	POCKET HANDLE
MODEL #	JDPSS246LL	JDPSS244LL	JDPSS245LX	JDPSSG244LS
PERFORMANCE FEATURES				
TriFecta™ Wash System	•	•	•	•
3-Stage Filtration	•	•	•	•
Quiet System	38 dBA†	39 dBA†	38 dBA†	39 dBA†
Cinematic LED Lighting	•	—	•	—
CYCLES AND OPTIONS				
Number of Cycles	6	6	5	6
Number of Options	7	7	6	7
Capacity (Place Settings)	15	14	15	14
RACK FEATURES				
Folding Upper/Lower Rack Tines	•	•	•	•
Removable 3 rd Level Rack	•	•	•	•
SuperiorGlide Rails	Upper and Middle	Middle	Upper and Middle	Middle
DESIGN FEATURES				
Stainless Steel Tall Tub	•	•	•	•
Obsidian Racks	•	•	•	•
Panel Ready	—	—	•	—
OPTIONAL ACCESSORIES				
Handle Kits (includes all handles and hardware, for use with Custom Panel applications)	—	—	W11231237	—
PRODUCT DIMENSIONS				
Width	23-7/8" (60.6 cm)	23-7/8" (60.6 cm)	23-7/8" (60.6 cm)	23-7/8" (60.6 cm)
Height	33-1/2" (85.1 cm)	33-1/2" (85.1 cm)	33-1/2" (85.1 cm)	33-1/2" (85.1 cm)
Depth*	24-1/2" (62.2 cm)	24-1/2" (62.2 cm)	24-1/2" (62.2 cm)	24-1/2" (62.2 cm)

† Per IEC standards, normal cycle.

* Excluding Handle

COMPACTORS



15"

MODEL #	TC607X
COMPACTOR FEATURES	
Drawer Capacity (cu. ft.)	1.4 (0.4 cu. m)
Compaction Ratio†	5:01
Heavy-Duty Zinc Coated Frame and Drawer	•
Heavy-Duty Motor	1/3 HP
2-Point Drive System	•
Power Screw-Driven Compactor Ram	•
Sound Insulation	•
CONTROL FEATURES	
Fully Integrated Console	•
Compress Option	•
DESIGN FEATURES	
Drop-Down Side Door	•
Under Counter Installation	•
OPTIONAL ACCESSORIES	
Suite-Coordinating Panel Kits (add to Base Unit)	JKTPX151HL
Handle Kits (includes all handles and hardware, for use with Custom Panel applications)	W11231235
PRODUCT DIMENSIONS	
Width	15" (38 cm)
Height	34-1/8" (86.7 cm)
Depth	26-1/4" (66.7 cm)

† With Compress option selected.

Find a kitchen suite that lets you do more in less space. The JennAir Urban Living collection combines the latest in kitchen décor with cutting edge technology.

Draw no lines. Abandon all barriers. With flexible features and flawless installation, the products in this lineup blend seamlessly into some of the most unexpected places. When it comes to traditional luxury appliances, Urban Living refuses to follow the rules.



ANYTHING
BUT
STANDARD

STEAM OVENS

Up for anything. Whether you want steam, convection, or both, at 24-inch wide and requiring only a 120-volt connection and no plumbing, these ovens can be installed throughout the home. Let your imagination run wild.



WALL OVENS

Break convention. High-rise studios, home theatres, yachts, you make the call. These 24-inch wall ovens have the features and connectivity of JennAir® full-size products, scaled to suit and ready for curation.



BUILT-IN COFFEE

Bold flavour. Rich crema. A heavenly aroma. From expertly crafted espresso to frothed milk cappuccino, the JennAir® built-in coffee system is calibrated precisely to prepare coffee on demand, refined to anyone's taste. Brew luscious espresso with customized strength, temperature and grind. Sip. Savour. The perfect cup awaits.



WARMING DRAWERS

A gentle push of the JennAir® warming drawer reveals a graceful, tempered glass bottom. Designed to pair perfectly with other Urban Living products, the warming drawer expertly keeps coffee cups, plates, and finished dishes toasty.



SPEED OVENS

What you want, when you want it. The JennAir® speed oven combines true convection with microwave energy. Behind a diamond-brushed stainless steel exterior, broil, bake or warm up anything you dream up.



SINGLE WALL OVEN



24"

MODEL #	JJW2424HL
OVEN FEATURES	
Oven Capacity (cu. ft.)	2.6 (.07 cu. m)
True Convection	•
Broil Element Output (Watts)	2,670
Convection Element(s) Output (Watts)	2,180
Cinematic Lighting	•
Glide Rack	•
CONTROL FEATURES	
3.5" (8.9 cm) Full-Colour LCD Display	•
OVEN CONNECTIVITY	
WiFi Connectivity & App	•
Remote Access	•
Voice Activation	•
DESIGN FEATURES	
Flush-to-Cabinet Design	Yes, No flush install kit required
Smooth Close Door	•
PRODUCT DIMENSIONS	
Width	23-7/16" (59.5 cm)
Height	23-1/2" (59.7 cm)
Depth	22-7/16" (57 cm)

STEAM AND CONVECTION WALL OVEN



24"

MODEL #	JJW6024HL
OVEN FEATURES	
Oven Capacity (cu. ft.)	1.3 (.04 cu. m)
Water Reservoir	•
Convection Element	1,200 W
Temperature Probe	•
Steam Cleaning Mode	•
Stainless Steel Interior	•
Halogen Oven Light	•
COOKING MODES	
Steam	•
Convection Bake	•
Steam Plus Convection	•
Steam Reheat	•
JennAir® Assisted Cooking (Preset Modes)	•
SPECIALTY COOKING & FOOD PREPARATION MODES	
Proofing	•
Steam Defrost	•
SousVide Reheating	•
Preservation	•
Yogourt	•
CONTROL FEATURES	
3.5-Inch Full-Colour LCD Display	•
OVEN CONNECTIVITY	
WiFi Connectivity & App	•
Remote Access	•
Voice Activation	•
DESIGN FEATURES	
Flush-to-Cabinet Design	•
Trim Kits for 27" (68.6 cm) or 30" (76.2 cm) Installation	Included
PRODUCT DIMENSIONS	
Width	23-7/16" (59.5 cm)
Height	18-5/16" (46.5 cm)
Depth	25-5/16" (64.3 cm)


MICROWAVE SPEED OVEN



24"

MODEL #	JMC6224HL
MICROWAVE OVEN FEATURES	
Oven Capacity (cu. ft.)	1.4 (.04 cu. m)
Power Output (Watts)	
Microwave	900
Convection Element	1,100
Grill Element	1,600
Power Levels	7
Speed Cook	•
Convection Cooking	•
CONTROL FEATURES	
3.5" (8.9 cm) Full-Colour LCD Display	•
OVEN CONNECTIVITY	
WiFi Connectivity & App	•
Remote Access	•
Voice Activation	•
DESIGN FEATURES	
Drop-Down Door	•
Under Counter Installation	•
Flush-to-Cabinet Design	•
PRODUCT DIMENSIONS	
Width	23-7/16" (59.5 cm)
Height	18-5/16" (46.5 cm)
Depth	21-7/8" (55.6 cm)

BUILT-IN ESPRESSO MACHINE



24"

MODEL #	JJB6424HL
ESPRESSO MACHINE FEATURES	
Water Tank Capacity	2.4 Litre
Cups at a Time	2
Whole-Bean Coffee Grinder	•
Frothing System with Integrated Milk Container	•
Cappuccino Option	•
Customizable Strength and Size	•
Auto-Start Mode	•
Auto-Off Mode	•
Descaling Mode	•
Temperature Customization	•
Hot Water Dispenser	•
Concealed Storage	•
DESIGN FEATURES	
Flush-To-Cabinet Installation	•
Electrical Requirements	120v
Capacitive Touch Controls	•
3.5-Inch Full-Colour LCD Display	•
PRODUCT DIMENSIONS	
Width	23-1/2" (59.7 cm)
Height	17-15/16" (45.5 cm)
Depth	19-11/16" (50 cm)

WARMING DRAWER



24"

MODEL #	JJD3024HL
DRAWER FEATURES	
Drawer Capacity (cu. ft.)	0.6 (.02 cu. m)
Heating Element Wattage	400
Temperature Range	32° to 71°C (90° to 160°F)
Full-Extension Drawer	•
CONTROL FEATURES	
Slow Roast Function	•
Bread Proofing Function	•
Concealed Controls	•
PRODUCT DIMENSIONS (WITHOUT HANDLE)	
Width	23-7/16" (59.5 cm)
Height	5-9/16" (14.1 cm)
Depth	22-3/8" (56.8 cm)

MICROWAVE DRAWER



24"

MODEL #	JMDFS24JL
MICROWAVE OVEN FEATURES	
Oven Capacity (cu. ft.)	1.2 (.03 cu. m)
Power Output (Watts)	950
Power Levels	11
CONTROL FEATURES	
Menu-Driven LCD Display	•
DESIGN FEATURES	
Drawer Design	•
Under Counter Installation	•
Flush-to-Cabinet Design	•
PRODUCT DIMENSIONS	
Width	23-7/8" (60.6 cm)
Height	16" (40.6 cm)
Depth	23-11/16" (60.1 cm)

COOKTOPS



	INDUCTION		ELECTRIC	GAS
	24"	24"	24"	24-1/2"
MODEL #	JIC4724H	JIC4324KB	JEC4424KB	JGCK424PS
COOKING SURFACE FEATURES				
Flex Elements	•	—	—	—
Element Size and Wattage:				
Left Front	8" (20.32 cm) - 3,700 W	6" (15.2 cm) 1,200 W/1,800 W Boost	6" (15.24 cm) - 1,200 W	18,000 (Dual Stacked)
Left Rear	8" (20.32 cm) - 3,700 W	7" (17.8 cm) 1,800 W/2,150 W Boost	8" (20.32 cm) - 1,800 W	6,300
Right Front	8" (20.32 cm) - 3,700 W	11" (28.0 cm) 2,100 W/4,000 W Boost	6" (15.24 cm) - 1,300 W	4,000
Right Rear	8" (20.32 cm) - 3,700 W	—	Dual-Choice™ Element: 10/6" (25.4/15.24 cm) - 3,000/1,900 W	12,000
Number of Elements	4 (2 Dynamic Elements)	3 (1 Dual)	4	4
Electronic Ignition and Flame-Sensing™ Re-Ignition	—	—	—	•
Bridge Function	•	—	—	—
Assisted Cooking Functions	—	•	—	—
DESIGN FEATURES				
Tap Touch Controls	•	•	•	—
True Flush Installation	•	•	•	—
Oblivion Glass-Ceramic Surface	•	•	•	—
Trim Colours Available†	S / B	B	B	S
Can be Paired with Modular Cooktops	• (Stainless Trim Only)	—	—	—
PRODUCT DIMENSIONS				
Width	24" (61 cm)	25-5/8" (65 cm)	23-13/16" (60.5 cm)	24-1/2" (62.2 cm)
Height	3-11/16" (9.4 cm)	3-23/32" (9.4 cm)	5-1/4" (13.3 cm)	5-3/16" (13.2 cm)
Depth	21" (53.3 cm)	21-1/4" (54.1 cm)	21-3/4" (55.3 cm)	20-1/16" (51 cm)

† Image of induction model (JIC4724H) shows stainless trim, with the exception of (JEC4424K), shown with black trim.

BUILT-IN REFRIGERATOR



MODEL #	JBBFX22NMX (PANEL READY†)
SPECIFICATIONS	
Total Volume (cu. ft. AHAM)	8.84 (.25 cu. m)
REFRIGERATOR FEATURES	
Precision Temperature Management™ System	•
Electronic Touch Controls with LED Display	•
Temperature Controlled Pantry Drawer	•
Adjustable Door Bins and Glass Shelves	•
Energy Star® Certified	•
Fast Cool	•
FREEZER FEATURES	
Fast Freeze	•
Automatic Defrost	•
DESIGN FEATURES	
LED Lighting	•
Panel Ready Design	•
Reversible Door Swing	•
OPTIONAL ACCESSORIES	
Reversible Panel Kit	JKBXH24PL
PRODUCT DIMENSIONS	
Width	21-15/16" (55.7 cm)
Height	69-11/16" (177.0 cm)
Depth	21-7/16" (54.5 cm)

† Requires custom panels and handles, not included.

COLOURS: S: STAINLESS STEEL B: BLACK

Feature list represents a limited number of the features available for each product. For a full list of features & specifications, please visit www.jennair.ca. Dimensions are for planning purposes only. For complete details, see installation instructions packed with product.

A LINE-UP
WITHOUT
LIMITS





THE JENNAIR

OWNERSHIP EXPERIENCE

DESIGNED TO MEET THE HIGHEST POSSIBLE STANDARDS. YOURS.

Like you, we have never settled for the ordinary
when the extraordinary can be achieved.

JENNAIR CERTIFIED INSTALLERS

Handpicked for their professionalism, expertise and dedication, JennAir Certified Installers will install your new appliances to our rigorous standards, helping ensure that they deliver optimal performance for years to come. Choosing JennAir Certified Installation includes another valuable benefit:

YOU WILL RECEIVE A COMPLIMENTARY ONE-YEAR CERTIFIED CARE™ EXTENDED SERVICE PLAN

Together with our standard two-year manufacturer's warranty, your appliance will be protected for a full three years.

1. To find your nearest JennAir Certified Installer, visit jennair.ca/install, or call 1-800-JennAir (536-6247).
2. Upon installation, your installer will provide you with a unique Verification Code, and show you how to register your appliance.
3. Use this Verification Code to register and claim your complimentary extra year of protection.

Find your nearest JennAir Certified Installer at jennair.ca/install or call 1-800-JennAir (536-6247).

MYJENNAIR

MyJennAir is your personalized, one-stop source for everything from product information to special offers, and much more. Create an account today and get even more from JennAir® appliance ownership.

AT MYJENNAIR, YOU WILL ENJOY:

- **Important product information.** All of your manuals and care guides can be found in one easy-to-access location, so that you can get the most out of your appliances.
- **Inspirational content.** Culinary tips and home entertaining ideas from renowned chefs and fellow foodies.
- **Exclusive invitations.** Receive unique promotions from our partner brands and invitations to attend special events in select cities.

Create your account today at registration.jennair.ca

SERVICE FROM A SELECT FEW – JENNAIR EPICENTRE

Our crew relentlessly engages with JennAir® appliances day in, day out. Initiated in rigorous product, process and culinary training, this team answers to you—from sales to installation to ownership.

We have also narrowed down our dedicated service network to only the most experienced providers. Armed with extensive access to products and knowledge, their expertise is unmatched.

YOUR JENNAIR CUSTOMER CARE EXPERT CAN HELP:

- Answer any technical questions concerning your JennAir® appliance
- Find the right accessories and parts for your appliance
- Schedule a service call with a Qualified JennAir Service Provider at your convenience
- Register your JennAir® appliances

CALL US

1-800-JennAir (536-6247)

CHAT WITH US

Visit jennair.ca – Monday-Friday: 8am-5pm EST

VISIT US ONLINE

jennair.ca/contact-us

LUXURY SHOULD BE LIMITLESS

There is nothing more personal than your space. That's why JennAir is committed to creating kitchen designs that feel truly bespoke. Live outside the lines with adaptive pieces you can customize to any space.

The choice is always yours—isn't that the ultimate luxury?









RISE™

DESIGN EXPRESSION

DETAILED PERFECTION.

DESIGNED TO RULE.



BOUND BY
NOTHING™

JENNAIR.CA

©/™ © 2023 JennAir. Used under license in Canada. All rights reserved.